

The Role of Fire Services Department in the Granting of Karaoke Establishment Permits

- The Licensing Authority, i.e. the Food & Environmental Hygiene Department (FEHD), will not grant any permit until the applicant has complied with, among others, all requirements imposed by the Director of Fire Services. The pre-requisites for the granting of a Karaoke Establishment (KE) permit include confirmation from the respective Regional Office (RO) that all fire service requirements have been complied with, and if mechanical ventilating system is installed at the premises, a Letter of Compliance (Ventilating System) issued by the Ventilation Division of the Fire Services Department (FSD) may also be required.

Steps to Comply with Fire Services Requirements

- Application for a KE permit together with proposed layout plans shall be submitted to the respective Licensing Section of FEHD. FEHD will refer the application to the respective Regional Office (RO) of FSD for processing.
- To avoid delay, the applicant should ensure that all information required for the application has been adequately provided and the actual layout conforms to the proposed layout plans which are drawn to a scale of not less than 1:100.
- General fire safety requirements for KE in restaurant have been uploaded to [FSD's home page](#) for the reference of applicants. For each individual application, FSD will consider whether the premises is suitable for the operation of a KE. If the premises and the proposed layout are considered suitable for such purpose, detailed fire safety requirements will be formulated and issued to the applicant through the Licensing Section of FEHD.
- The applicant is required to obtain the following certificates or documents as a proof of compliance with fire services requirements:-
 - (a)* a Certificate of Compliance (FSI/314A or FSI/314B) and/or a Certificate of Fire Service Installations and Equipment (FS 251) issued by a registered fire service installation contractor;

- (b)* if self-contained battery type emergency lighting unit is to be installed, the test report or catalogue of the emergency lighting unit with valid Certificate of Fire Service Installations and Equipment (FS 251) ; and
- (c)* if PU foam filled furniture is used, the invoice from the manufacturer / supplier indicating that the PU foam filled furniture items meet the relevant flammability standards, and a copy of the test certificate issued by a testing laboratory accredited to conduct tests according to specified standards. The test certificate should bear the supplier's / manufacturer's company seal for authentication purposes, and PU foam filled furniture items meeting the specified standards should bear appropriate labels.
- Applicants or their authorized representatives should, upon completion of all works required, inform the respective RO by phone or in writing so that follow-up inspection can be arranged.
 - If non-compliance with fire safety requirements is spotted during the follow-up inspection, the respective RO will advise the applicant in writing of any remedial works required, and arrange for further follow-up inspection after the applicant has notified that the requirements have been met. If the karaoke establishment is found to be in operation without a valid permit, FEHD will be informed to take appropriate action.
 - If the follow-up inspection has proved that all fire safety requirements have been complied with and the layout of the premises conforms to the approved plan, the RO will notify FEHD accordingly.

Explanatory Notes

(a)* *These certificates are issued by registered fire service installation contractors. The purpose of these certificates is to ensure that following the decoration of the premises, the fire service installations (FSI) provided for the building are still in efficient working order.*

If there is a need to alter or add any fire service installations and equipment in the premises, the applicant should appoint a registered fire service installation contractor to carry out the work. The registered fire service installation

contractor should submit a copy of the certificate (FSI/314A or FSI/314B as appropriate) together with the relevant FSI plan to the Director of Fire Services. Upon completion of the work, the registered fire service installation contractor should inspect and certify the installations, and submit a copy of the Certificate of Fire Service Installations and Equipment (FS 251) to the Director of Fire Services. A list of registered fire service installation contractors is available for inspection at the ROs and all fire stations as well as the following web page of FSD: www.hkfsd.gov.hk/home/eng/cert.html.

- (b)* *The purpose of this test report or catalogue is to enable FSD to check whether the self-contained battery type emergency lighting unit installed meets the specified standards.*
- (c)* *The purpose of this invoice and test certificate is to enable FSD to check whether the PU foam filled furniture used meets the specified standards.*

How to Obtain a Letter of Compliance (Ventilating System)

- The Letter of Compliance (Ventilating System) is issued by the Ventilation Division of FSD. The purpose of this letter is to certify that the ventilating system installed in the KE premises has been inspected, and complies with the fire safety provisions stipulated in the Ventilation of Scheduled Premises Regulation (Cap.132) and the fire safety requirements on mechanical ventilating systems issued by FSD.
- The applicant does not need to apply directly to FSD for a Letter of Compliance for the ventilating system of the premises under application. If the applicant has indicated in his/her application that a mechanical ventilating system is to be installed at the premises, fire safety requirements on mechanical ventilating systems will be issued to the applicant direct.
- Before the ventilation work is commenced on site, the applicant is required to submit three ventilating system plans to the Licensing Section of FEHD. The Licensing Section of FEHD will refer the plans to the Ventilation Division of FSD for processing.
- When all ventilation installation works have been completed and full compliance with fire safety requirements confirmed, the applicant should fill out a prescribed

form "Report of Completion on Ventilating System" ([Vent/425](#)) and return the original copy to the Ventilation Division, so that initial inspection can be arranged.

- If the ventilating system does not comply with fire safety requirements, the Inspection Officer will, during inspection, advise the applicant or the appointed representative of any remedial works required. A formal list of non-compliance works will be issued to the applicant through the respective Licensing Section of FEHD. After rectifying the defects of the ventilation installation, the applicant is required to report compliance by submitting a completed prescribed form ([Vent/425](#)) to the Ventilation Division once again. The procedure is identical to that of initial inspection.
- After confirmation of compliance with all fire safety requirements, a Letter of Compliance (Ventilating System) will be issued to the applicant through FEHD.