

**REQUIREMENTS FOR FAIRS / FETES / EXHIBITIONS (SMALL SCALE)**

1. \_\_\_\_\_ 4.5 Kg CO<sub>2</sub> fire extinguisher and \_\_\_\_\_ 9-litre water type fire extinguisher(s) of approved type and \_\_\_\_\_ buckets of water to be provided.
2. No palm leaves or bamboo matting to be used in the construction of the stalls.
3. Adequate clear passageways to be maintained.
4. Only electric lights to be used for illumination.
5. No naked lights to be allowed on the premises.
6. No decoration of an inflammable nature to be permitted.

If held within a hall the following additional requirements will apply :-

7. All staircases and exits to be kept free from obstruction at all times.
8. All exits to be indicated by 'EXIT' signs readily discernible at a distance of 7.5 m in English and Chinese characters.
9. All exit doors to remain unlocked.
10. The existing fire service installation for the premises to remain unobstructed.

Others

11. Chairs, if provided, to be battened together in group of not less than four and not more than fourteen per row.
12. A free passageway of not less than 1m in width to be provided and maintained between each row/column of chairs.
13. The stage to be substantially constructed.
14. All electric wiring supplying electricity to be arranged in such a way that it should not impede any passageway.
15. No selling/displaying of hydrogen filled balloon to be permitted.