

消防處
牌照及審批總區

香港九龍尖沙咀東部康莊道1號5樓
消防總部大廈



FIRE SERVICES DEPARTMENT
LICENSING & CERTIFICATION COMMAND

FIRE SERVICES HEADQUARTERS BUILDING,
5/F, No. 1 Hong Chong Road,
Tsim Sha Tsui East, Kowloon,
Hong Kong

本處檔號 Our Ref.: (1) in FP 314/07 VI

來函檔號 Your Ref.:

圖文傳真 Fax: 852-2723 2197

電話 Tel. No. 2733 7744

電子郵件 E-mail: lcpolic2@hkfsd.gov.hk

7 May 2007

To: Recipients of FSD Circular Letters

Dear Sir/Madam,

FSD Circular Letter No. 1/2007
Guidelines on New Arrangement on Product Approval of
Fire Service Installations and Equipment

Currently, all applications for approval / acceptance of fire service installations and equipment shall be submitted to the Investigation and Research Section of the Licensing and Certification Command of this Department for processing and evaluation. Every application shall be accompanied by supporting documents indicating that the installation/equipment under application has been tested to an acceptable national/international test standard. Supporting documents include full test report, certificate, product catalogue, etc. At present, we accept either the original copy or photocopy of the test report issued by a recognized laboratory as the requisite documentary proof of the product's conformity to relevant acceptable standard.

In the global market, we understand that some renowned and well-established Product Certification Bodies (PCBs)^(see remark) are providing independent certification of products with Listing Scheme / Services, which may be used by purchasers and regulatory authorities to assess product's conformity. Once a product attains the required standards in accordance with the certification procedures, the PCBs will list it on their websites or through publications for ease of reference, hereinafter referred to as "listed equipment".

To help us decide whether we could make use of these listing services for local application and to find means to verify the authenticity of the submitted documents, thorough consultation has been made with The Association of Registered Fire Service Installation Contractors of Hong Kong Limited, FSD / Authorized Persons Liaison Group and the Fire Safety Standard Advisory Group. It is finally agreed that the following new arrangements on product approval will be adopted:

PRODUCTS	NEW ARRANGEMENT ON APPLICATION FOR PRODUCT APPROVAL
<p>1. Portable Equipment (i.e. Portable fire extinguishers and fire blankets under Regulation 3 of the Fire Service (Installations and Equipment) Regulations, Cap 95B)</p>	<p>As it is a statutory requirement for the Director of Fire Services to approve portable equipment, the current application procedures in accordance with the guidelines as stipulated in the Fire Protection Notice No. 15 shall remain unchanged.</p> <p>However, applicants are required to provide FSD with <u>an original test report / its copy certified true by the respective testing laboratory</u> for verification, after that the document will be returned to the applicant; and an additional photocopy of it for FSD's processing and retention.</p>
<p>2. Other FSI and Equipment (Fire service installations and equipment except items 10, 11(i), 13 and 14 as shown in Appendix I of the Fire Protection Notice No.15)</p>	<p>a) Listed Equipment</p> <p>If a piece of equipment has been listed by PCBs, it is deemed to be accepted by this Department subject to such equipment and its installation being in conformity with all relevant local requirements. In this regard, <u>the current practice to apply for its acceptance by this Department is no longer necessary</u> and be ceased henceforth. Notwithstanding, should there be doubt on the listed equipment, FSD has the sole authority to decide its acceptance to be used in Hong Kong and the procedures stated in item (1) above will be required for product approval of such equipment.</p> <p>b) Non-Listed Equipment</p> <p>The procedures same as item (1) above will be applied.</p>

To facilitate the compliance inspection process to be undertaken by staff of FSD, FSI contractors are required, when in submission of FSI/501 for compliance inspection of FSI & Equipment, to provide us with a completed checklist of FSI and equipment at **Annex I** together with relevant documentary proof such as product listing certificates / records / letters issued by respective PCBs or product approval / acceptance letters issued by FSD. Please note that for stocks of the de-listed products kept by FSI

Contractors, the acceptance shall remain valid if the products were manufactured before the de-listing date. In such cases, the manufacturing date of the products will be checked where necessary.

Notwithstanding the above, FSI and equipment previously approved or accepted by the Director of Fire Services shall remain valid unless the Director of Fire Services has ruled otherwise.

We hereby announce the implementation of the above new arrangement with effect from the date of this Circular. FSD Circular Letter No. 4/1998 is therefore to be repealed and replaced by this Circular. For easy reference, we have enclosed at **Annex II** a revised Fire Protection Notice No.15 “*Guidance for Product Approval of Fire Service Installations and Equipment*”, which can also be downloaded at < <http://www.hkfsd.gov.hk/home/eng/safety.html> >.

Should you need further clarification on this matter, please do not hesitate to contact our officers at 2733 7827 or 2733 7557.

Yours faithfully,



(LAI Man-lin)

for Director of Fire Services

Remarks :

Product Certification Bodies (PCBs) : mean (i) overseas laboratory / organization, such as Loss Prevention Certification Board (LPCB), Underwriters Laboratory Inc.(UL), FM Approvals (FM), VdS Schadenverhütung GmbH (VdS), TUV SUD PSB (PSB), etc., that provides product certification service with Listing Scheme / Service and is being accredited by overseas accreditation bodies; or (ii) local laboratory / organization that provides product certification service with Listing Scheme / Service and is being accredited by the Hong Kong Accreditation Service through the Hong Kong Certification Body Accreditation Scheme. For details of the listed products, you may refer to the following websites:-

- i) LPCB < <http://www.brecertification.co.uk> >
- ii) UL < <http://www.ul.com> >
- iii) FM < <http://www.fmglobal.com> >
- iv) VdS < <http://www.vds.de> >
- v) TUV SUD PSB < <http://www.tuv-sud-psb.sg> >

Fire Service Installations – Equipment List

(To be appended to Form FSI/501)

FP Ref. no. 43/19/20 Address of Premises:.....

Item	System/ Equipment	Manufacturer/ model no./ part no. (a)	FSD Approval/ Acceptance Reference (b)	Listing Certificates/Records/Documents issued by Product					
				Certification Bodies (c)					
				UL	FM	LPCB	VdS	PSB	Others
A	<u>Automatic Actuating Device</u>								
A1	Emergency exit device and electromagnetic door releasing device to be used in conjunction with automatic fire alarm system								
B	<u>Automatic Fixed Installation other than Water</u>								
B1	Fixed carbon dioxide installation								
B2	Fixed clean agent installation								
B3	Fixed dry chemical installation								
B4	Fixed Halon installation								
C	<u>Deluge system</u>								
C1	Deluge valve								
C2	Sprinkler head								
C3	Alarm valve								
D	<u>Drencher System</u>								
E	<u>Fire Alarm System</u>								
E1	Manual call point								
E2	Alarm bell								
F	<u>Automatic Fire Alarm System</u>								
F1	Fire alarm control panel								
F2	Heat detector								

Item	System/ Equipment	Manufacturer/ model no./ part no. (a)	FSD Approval/ Acceptance Reference (b)	Listing Certificates/Records/Documents issued by Product					
				Certification Bodies (c)					
				UL	FM	LPCB	VdS	PSB	Others
F3	Smoke detector								
F4	Beam detector								
F5	Smoke detector with integration device								
F6	Flame detector								
F7	Intrinsically safe/ explosion proof detector								
F8	Alarm/ sounder integrated with strobe light for use in conjunction with automatic fire alarm system								
G	<u>Fire Hydrant/ Hose Reel System</u>								
G1	Hose reel unit (incl. hose reel tubing, nozzle and drum)								
G2	Hydrant inlet/ outlet valve								
G3	Check valve								
G4	Pressure reducing valve								
G5	FS inlet/ fireboat inlet								
H	<u>Fixed Automatically Operated Approved Appliance (Wall/ Ceiling Mounted Type)</u>								
H1	Halogenated Fixed Sprayer Unit								
H2	Clean Agent Fixed Sprayer Unit								
I	<u>Fixed Foam System/ Equipment</u>								
I1	Foam Monitor								
I2	Foam proportioner/ maker								
I3	Foam nozzle								
I4	Foam water nozzle								

Item	System/ Equipment	Manufacturer/ model no./ part no.	FSD Approval/ Acceptance Reference	Listing Certificates/Records/Documents issued by Product					
				Certification Bodies					
				(c)					
		(a)	(b)	UL	FM	LPCB	VdS	PSB	Others
I5	Bladder tank								
J	<u>Gas Detection System</u>								
J1	Chlorine gas								
J2	Hydrogen gas								
J3	Ammonia gas								
J4	Electronic gases								
J5	Methane gas								
K	<u>Hand-Operated Approved Appliances</u>						N.A.		
K1	Fire Blanket								
K2	Carbon dioxide fire extinguisher								
K3	Foam fire extinguisher								
K4	Water type fire extinguisher								
K5	Halogenated fire extinguisher								
K6	Dry chemical fire extinguisher								
K7	Clean agent fire extinguisher								
K8	Wheeled type fire extinguisher								
L	<u>Pressurization of Staircase</u>								
L1	Smoke detector								
L2	Proprietary made fire/ smoke damper								
M	<u>Smoke Extraction Systems</u>								
M1	Smoke detector								
M2	Proprietary made fire/ smoke damper								
N	<u>Sprinkler system</u>								
N1	Sprinkler head								

Item	System/ Equipment	Manufacturer/ model no./ part no. (a)	FSD Approval/ Acceptance Reference (b)	Listing Certificates/Records/Documents issued by Product					
				Certification Bodies (c)					
				UL	FM	LPCB	VdS	PSB	Others
N2	Alarm valve								
N3	Accelerator								
N4	Butterfly valve (motorized)								
N5	Flow switch								
N6	Ratio flow controller								
N7	Piping and associated fittings e.g. CPVC piping/ fittings								
N8	Vortex inhibitor								
N9	Sprinkler water storage tank other than concrete								
N10	Sprinkler control and indicator panel								
N11	Pressure switch								
O	<u>Ventilation/ Air Conditioning Control System</u>								
O1	Probe type smoke detector								
O2	Ceiling smoke detector								
P	<u>Water Spray System</u>								
P1	Water spray nozzle								
P2	Deluge valve								
Q	<u>Others</u>								

- Notes:
1. Column (a) must be filled in with details
 2. Sub-columns should be ticked as appropriate if certificates, records, or documents from the recognized laboratories/organizations are available and appended to the Equipment List.
 3. Certificates, records, or documents from the recognized laboratories/organizations should adopt the item numbers such as 'A1', 'B1', etc., corresponding to the same of the Equipment List.
 4. If column (c) is not applicable, reference of approval or acceptance letter of Fire Services Department should be entered.



防火通告第十五號
FIRE PROTECTION NOTICE NO. 15

消防裝置及設備的產品認可指引
**GUIDANCE FOR PRODUCT APPROVAL OF
FIRE SERVICE INSTALLATIONS AND EQUIPMENT**

FIRE PROTECTION NOTICE NO. 15

Guidance for Product Approval of Fire Service Installations and Equipment

1. Introduction

- 1.1 Pursuant to Regulation 3 of the Fire Service (Installations and Equipment) Regulations, Cap. 95B, Laws of Hong Kong, all portable equipment, i.e. portable fire extinguishers and fire blankets, shall be approved by the Director of Fire Services before they are allowed to be supplied or sold in Hong Kong.
- 1.2 Other fire service installations and equipment, e.g. sprinkler system/equipment, fire alarm installation/equipment which are required by the Director of Fire Services for the protection of buildings shall be of an accepted type. However, if a piece of equipment has been listed and published by some renowned and well-established Product Certification Bodies^(see remark) for public access, it is deemed to be accepted by this Department subject to such equipment and its installation being in conformity with all relevant local requirements. For details, please refer to Fire Services Department Circular Letter No. 1/2007 at < <http://www.hkfsd.gov.hk/home/eng/circular.html> >.
- 1.3 A list of fire service installations and equipment requiring approval / acceptance is at Appendix I.

2. Application Procedure

- 2.1 All applications for approval / acceptance of fire service installations and equipment, other than the listed equipment as mentioned in paragraph 1.2 above, shall be submitted to the Investigation and Research Section of the Licensing and Certification Command for processing and evaluation.
- 2.2 Every application shall be accompanied by supporting documents indicating that the installation/equipment under application has been tested to an acceptable national/international test standard. Such documents include :-
 - 2.2.1 full test report with cover page, test records, and test conclusion *(an original test report/its copy certified true by respective laboratory and an additional photocopy of it)* ;
 - 2.2.2 technical details and drawings; and
 - 2.2.3 product catalogue, etc.
- 2.3 In order to facilitate evaluation on the product under application, test reports or product certificates submitted shall be in Chinese or English. Test reports shall be issued by a testing organisation currently recognised by the Fire Services Department.
- 2.4 Test report issued by a recognised testing organisation is only valid for 10

years from the date of issue. Upon its expiry, a new test report will be required. This department will not accept expired test report for application.

3. Processing of Application

- 3.1 Applications are generally dealt with on a first come, first served basis.
- 3.2 All applications will be processed as soon as possible. Under normal circumstances, processing of applications for portable equipment (i.e. portable fire extinguishers and fire blankets) and other fire service installations will not exceed 15 and 45 working days respectively.
- 3.3 A letter of approval / acceptance will be issued to the applicant if all conditions for product approval are met or otherwise the applicant will be informed of any discrepancy noted in the submitted documents.

4. Recognition of Testing Organisation

- 4.1 Only test report issued by a recognised testing laboratory shall be accepted by this Department. Recognition of the testing laboratories may be granted via the following ways: -
 - 4.1.1 seeking accreditation from the Hong Kong Accreditation Service (HKAS) under the Hong Kong Laboratory Accreditation Scheme (HOKLAS) ; or
 - 4.1.2 seeking accreditation from one of the overseas laboratory accreditation bodies (see Appendix II) which has signed mutual recognition agreements with the HKAS.
- 4.2 However, before the acceptance of a testing laboratory by this Department, the Accreditation Certificate together with the Scope of Accreditation issued by one of the accreditation bodies should be submitted to this Department for verification.

5. Enquiry

For further information and advice regarding the approval of fire service installations and equipment, please contact:-

Licensing and Certification Command
(Investigation & Research Section)
5/F, Fire Services Headquarters Building
1, Hong Chong Road
Tsim Sha Tsui East
Kowloon
Tel. No. : (852) 2733 7827 / 2733 7557
Fax. No. : (852) 2367 3631
E-mail : lcpolice2@hkfsd.gov.hk

Remark

Product Certification Bodies (PCBs) : mean (i) overseas laboratory/organization, such as Loss Prevention Certification Board (LPCB), Underwriters Laboratory Inc.(UL), FM Approvals (FM), VdS Schadenverhütung GmbH (VdS), TUV SUD PSB (PSB), etc., that provides product certification service with Listing Scheme/Service and is being accredited by overseas accreditation bodies; or (ii) local laboratory/organization that provides product certification service with Listing Scheme/Service and is being accredited by the Hong Kong Accreditation Service through the Hong Kong Certification Body Accreditation Scheme. For details of the listed products, you may refer to the following websites:-

- i) LPCB < <http://www.brecertification.co.uk> >
- ii) UL < <http://www.ul.com> >
- iii) FM < <http://www.fmglobal.com> >
- iv) VdS < <http://www.vds.de> >
- v) TUV SUD PSB < <http://www.tuv-sud-psb.sg> >

Fire Service Installations and Equipment Requiring FSD Approval

System	Components
1. Automatic Actuating Device	<ul style="list-style-type: none"> i) Emergency Exit Device ii) Electromagnetic Door Releasing Device to be used in conjunction with Automatic Fire Alarm System
2. Automatic Fixed Installation other than Water	<ul style="list-style-type: none"> i) Fixed Carbon Dioxide Installation ii) Fixed Clean Agent Installation iii) Fixed Dry Chemical Installation
3. Automatic Fire Alarm System	<ul style="list-style-type: none"> i) Fire Alarm Control Panel ii) Heat Detector iii) Smoke Detector iv) Beam Detector v) Smoke Detector with Integration Device vi) Flame Detector vii) Intrinsically Safe / Explosion Proof Detector viii) Alarm/Sounder Integrated with Strobe Light
4. Manual Fire Alarm System	<ul style="list-style-type: none"> i) Manual Call Point ii) Alarm Bell
5. Automatic Fixed Installation using water	<ul style="list-style-type: none"> i) Deluge System <ul style="list-style-type: none"> a. Deluge Valve b. Sprinkler Head c. Alarm Valve ii) Drencher System iii) Water Spray System <ul style="list-style-type: none"> a. Water Spray Nozzle b. Deluge Valve iv) Sprinkler System <ul style="list-style-type: none"> a. Sprinkler Head b. Alarm Valve c. Accelerator d. Butterfly Valve (motorised) e. Flow Switch f. Ratio Flow Controller g. Piping and associated fittings <ul style="list-style-type: none"> e.g. CPVC Piping/Fittings h. Vortex Inhibitor v) Water Mist System

System		Components
6.	Fire Hydrant/Hose Reel System	<ul style="list-style-type: none"> i) Hose Reel Unit (including Hose Reel Tubing, Nozzle and Drum) ii) Hydrant Inlet/Outlet Valve iii) Check Valve iv) Pressure Reducing Valve v) FS Inlet/Fireboat Inlet
7.	Fixed Automatically Operated Approved Appliance (Wall/ Ceiling Mounted Type)	Fixed Sprayer Unit
8.	Fixed Foam System/ Equipment	<ul style="list-style-type: none"> i) Foam Monitor ii) Foam Proportioner/Maker iii) Foam Nozzle iv) Foam Water Nozzle v) Bladder Tank
9.	Gas Detection System	<ul style="list-style-type: none"> i) Chlorine Gas ii) Hydrogen Gas iii) Ammonia Gas iv) Electronic Gases v) Methane Gas
10.	Fire Blanket	
11.	Fire Extinguisher	<ul style="list-style-type: none"> i) Portable Fire Extinguisher <ul style="list-style-type: none"> a. Carbon Dioxide b. Clean Agent c. Dry Powder d. Foam e. Water f. Miscellaneous ii) Wheeled Type Fire Extinguisher
12.	Fire Retardant Solution	<ul style="list-style-type: none"> i) For wall and ceiling linings in accordance with Class 1 or Class 2 of BS 476 : Part 7 ii) For Curtains and Drapes in accordance with Type B requirements of BS 5867 : Part 2
13.	Flammable Liquid Dispensing Device for Petrol Filling Station	
14.	Flammable Liquid Storage Tank for Petrol Filling Station	
15.	Other	Sprinkler water storage tank other than concrete

This list is by no means exhaustive, registered FSI contractors have the responsibilities of checking with the Fire Service Installations Division or the Investigation and Research Section of the Licensing and Certification Command to see whether or not the equipment/installation requires prior approval before use.

Overseas Laboratory Accreditation Bodies



[OAA](#)
(Argentina)



[NATA](#)
(Australia)



[BMWA](#)
(Austria)



[INMETRO](#)
(Brazil)



[SCC](#)
(Canada)



[CAEAL](#)
(Canada)



[ONARC](#)
(Cuba)



[CAI](#)
(Czech Republic)



[DANAK](#)
(Denmark)



[NLAB](#)
(Egypt)



[EAK](#)
(Estonia)



[COFRAC](#)
(France)



[FINAS](#)
(Finland)



[ESYD](#)
(Greece)



[NABL](#)
(India)



[KAN](#)
(Indonesia)



[ISRAC](#)
(Israel)



[INAB](#)
(Ireland)



[IAJapan](#)
(Japan)



[KOLAS](#)
(Korea)



[LATAK](#)
(Latvia)



[LA](#)
(Lithuania)



[DSM](#)
(Malaysia)



[ema](#)
(Mexico)



[RvA](#)
(Netherlands)




[IANZ](#)
(New Zealand)



[NA](#)
(Norway)



[CNAS](#)
(People's Republic of China)



[BPSLAS](#)
(Philippines)



[PCA](#)
(Poland)



[IPAC](#)
(Portugal)



[SAC](#)
(Singapore)



[SNAS](#)
(Slovakia)



[SA](#)
(Slovenia)




[SANAS](#)
(South Africa)



[ENAC](#)
(Spain)




[SWEDAC](#)
(Sweden)



[SAS](#)
(Switzerland)



[TAF](#)
(Taiwan,China)



[TISI](#)
(Thailand)



[TURKAK](#)
(Turkey)



[UKAS](#)
(United Kingdom)



[A2LA](#)
(USA)



[ACCLASS](#)
(USA)




[IAS](#)
(USA)



[NVLAP](#)
(USA)



[BoA](#)
(Viet Nam)



[ECA](#)
(Costa Rica)



[BELTEST](#)
(Belgium)



[DAR-DACH](#)
(Germany)



[DAR-DAP](#)
(Germany)



[DAR-DASMIN](#)
(Germany)



[DAR-DATECH](#)
(Germany)



[SINAL](#)
(Italy)



[VLAC](#)
(Japan)




[JAB](#)
(Japan)



[RENAR](#)
(Romania)



[DMSc](#)
(Thailand)



[DSS](#)
(Thailand)

(Up-to-date information on overseas laboratory accreditation bodies is provided on the internet in the HKAS's website at < <http://www.itc.gov.hk/en/quality/hkas/hoklas/agreement.htm> >)