

For Official Use Only:"

Tgh0Pq0'<**' +'kp''HR''
NKHKU'Pq0<

認可手提設備/接納消防裝置及設備和消防安全產品申請表 Application Form for Approval of Portable Equipment / Acceptance of Fire Service Installations and Equipment and Fire Safety Products

注意事項 POINTS TO NOTE:

(I) 填寫本申請表前,請閱讀以下指引並在閱讀後加上「✓」號。 Please read the following guidelines and put a (✓) in the box before filling in this Form.

《認可手提設備/接納消防裝置及設備和消防安全產品的的申請指引》 Guidance for Application for Approval of Portable Equipment / Acceptance of Fire Service Installations and Equipment and Fire Safety Products

《申請人須知》(見附錄一) Notes to Applicants (See Appendix I)

《毋須事先獲得消防處接納的常見消防裝置及設備和消防安全產品》(見附錄二)
Common Fire Service Installations and Equipment and Fire Safety Products NOT requiring FSD's Prior Acceptance
(See Appendix II)

- (II) 所有申請文件必須裝訂並附有頁碼,申請人必須就每項申請呈交一份已裝訂的申請文件。 All documents submitted for the application must be bound with page numbers, and a set of bound documents for each submission is necessary.
- (III) 請選擇提交申請的類別 Please select type of application to be submitted:

新申請 New Application 重新申請 Re-Application

延長有效期甲請 Application for Validity Period Extension

請根據消防處最近一次就本申請發出的回覆函件內載的資料填寫以下各項: Please complete the following sections with reference to the information given in the latest FSD's reply letter related to this application:

消防處檔號 FSD Ref. No.: () in 個案編號(如有)LIFIPS No. (If any): 消防處回覆日期 FSD's Reply Date:

(IV) 請選擇回覆的語言 Please select the language for reply 中文 English

甲項 - 申請人資料
Section A - Applicant Information (a) 公司檔號 Company Reference No.:
(b) 申請人姓名 Applicant Name:
(c) 公司名稱 Company Name:
(d) 公司地址 Company Address:
(e) 聯絡人姓名 Contact Person Name:
(f) 電話號碼 Telephone No.:
(g) 傳真號碼 Fax No.:
(h) 電郵地址 E-mail Address:
乙項-產品資料
Section B - Product Information
請從《認可手提設備/接納消防裝置及設備和消防安全產品的的申請指引》附錄 I 及 II 的名單內選擇有關的系統及組件。 Please select the relevant system and component from the list as provided in the Appendix I & II of Guidance for Application for Approval of Portable Equipment / Acceptance of Fire Service Installations and Equipment and Fire Safety Products.
(a) 系統 System:
(b) 組件 Component:
(c) 品牌名稱 Brand Name:
(d) 型號/系列 Model Number/Series:
(e) 製造商名稱 Manufacturer Name:
(f) 製造商地址 Manufacturer Address:
丙項-產品測試/評估資料
Section C - Product Testing / Assessment Information (a) 測試/評估機構 Testing / Assessment Agency:
(b) 測試/評估報告編號 Test / Assessment Report No.:
(d) 簽發日期 Issue Date:
(e) 失效日期(如有)Expiry Date (if any):
丁項 - 產品認證資料 Section D - Product Certification Information
(a) 產品認證機構 Product Certification Body:
(b) 認證證書編號 PCB Certificate No.:
(c) 失效日期(如有)Expiry Date (if any):
() > 5 × · · · · · · · · · · · · · · · · · ·

戊項-申請人聲明

Section E - Declaration of Applicant

本人現聲明已閱讀「注意事項」,並向消防處呈交所需文件,以申請認可手提設備/接納消防裝置及設備和消防安全產品: I hereby declare that I have read the 'POINTS TO NOTE' and submit the required documents to the Fire Services Department in support of my application for Approval of Portable Equipment / Acceptance of Fire Service Installations and Equipment and Fire Safety Products:

- 11	Fire Safety Products:				
	所需文件 Required Document		文件要求 Requirements of Documents	請「✓」 Please (✓)	
(a)	認可手提設備/接納消防裝置及 設備和消防安全產品申請表 Application Form for Approval of Portable Equipment /Acceptance of Fire Service Installations and Equipment and Fire Safety Products	(i)	按要求填寫 Completed as required		
(b)	重新申請需要的文件 (經消防處較早前拒絕的申請) Documents required for Re-Application (after previous submission was rejected by FSD)	(i) (ii)	消防處最近一次發出的覆函所要求的其他文件,以及隨附的核對表(如適用) Other document(s) requested by FSD in its latest reply letter and the attached checklist, where appropriate 消防處覆函副本及隨附的核對表(如有) Copy of FSD's reply letter(s), and the attached checklist, if any		
(c)	測試報告/評估報告 Test Report / Assessment Report	(i) (iii) (iv) (v) (vi) (vii)	測試人評估採用「最低限度之消防裝置及設備守則與裝置及設備之檢查、測試及保養守則」和消防處通函內所載的最新標準進行(如適用) The latest testing standards as stipulated in the Codes of Practice for Minimum Fire Service Installations an Equipment and Inspection, Testing and Maintenance of Installations and Equipment (CoP) and FSD Circular Letter(s) (FSDCL) shall be adopted for the test / assessment, where appropriate 測試/評估如非採用上文第(i)段所述的標準進行,則產品須按照消防處處長接納的國家/國際標準進行 [fthe testing standards stated in (i) above have not been adopted, the product shall be tested / assessed against national / international standards acceptable to the Director of Fire Services 測試實驗所獲以下認可機構認可進行有關測試/評估: The testing laboratory shall be accredited to carry out the test / assessment by the following accreditation bodies: (a) 香港認可處並由香港實驗所認可計劃認可:或 Hong Kong Accreditation Service (HKAS) and accredited under the Hong Kong Laboratory Accreditation Scheme (HOKLAS); or (b) 與香港認可處簽訂了《相互承認安排》的中國合格評定國家認可委員會;或 China National Accreditation Service for Conformity Assessment (CNAS) which has signed Mutual Recognition Arrangement with the HKAS; or (c) 與香港認可處簽訂了《相互承認安排》的海外認可機構。 Overseas accreditation bodies which have signed Mutual Recognition Arrangements with the HKAS 测試報告/評估報告以中文或英文撰寫,或翻譯為中文或英文本,並經有關測試實驗所核證無誤 The test report / assessment report shall be prepared in Chinese or English or translated into Chinese or English and certified to be correct by the respective testing laboratory 测試報告完整,並附有封面、測試記錄和合格的測試結果 It shall be a full test report with cover page, test record and positive test results 測試報告/評估報告為正本/已復有關測試實驗所核證無誤的副本 The test report / assessment report shall be based on the latest testing standards and valid at the time of submission 測試報告/評估報告為正本/已復有關測試實驗所核證無誤的副本 The test report / assessment report shall be an original copy/a copy certified by the respective test laboratory to be true and correct		

	所需文件 Required Document	文件要求 Requirements of Documents	請「✓」 Please (✓)
(d)	產品目錄及說明書 Product Catalogue and Menu	(i) 產品目錄及說明書提及的產品規格和細則與其他已遞交的文件所 述的產品相符 The specifications and details of the products mentioned in the product catalogue and menu correspond to the same products mentioned in other submitted documents	
(e)	技術細則 Technical Details	(i) 技術細則以列表方式顯示 Technical details shall be presented in table format	
(f)	技術圖則或相片/圖片 Technical Drawings or Photos/Pictures	(i) 技術圖則須: The technical drawings shall: (a) 附有產品尺寸 include product dimensions (b) 由製造商繪製 be produced by the manufacturer (c) 不少於 A4 大小 be no smaller than A4 size (ii) 如產品不能以圖則展示,則須附有不少於 4R 大小 (102 mm x 152 mm) 的相片/圖片 If the product cannot be shown in the form of drawings, its photos/pictures at a size of no smaller than 4R (102mm x 152mm) shall be attached	
(g)	產品認證機構發出的證書 Certificate issued by a Product Certification Body (PCB)	(i) 顯示產品仍在產品認證機構有效名單下的證書 (如有) Certificate showing the valid listing of the product by the PCB (if any)	
(h)	監察檢測製造商資料 Surveillance Audits and Manufacturer Information	 (i) 產品監察檢測的證書/報告 (如有) Certificates/Report of product surveillance audits (if any) (ii) 製造商發出的操作要求 Operational requirements issued by the manufacturer 	

注意NOTE:

以上各項目是**申請認可手提設備/接納消防裝置及設備和消防安全產品**所需呈交的文件。所有文件必須以**中/英文撰寫或印製** 申請人須向消防處呈交**所需文件**以便辦理有關申請。假如你未能提供上述文件,或上述文件並不完整,或上述文件所提述的消 防裝置及設備和消防安全產品不符合所要求的標準/規格,消防處將會無法處理有關申請。

The submission of the abovementioned documents is required for the Application for Approval of Portable Equipment / Acceptance of Fire Service Installations and Equipment and Fire Safety Products. All documents must be written or printed in Chinese/English. Applicants must submit all the required documents for the application to the Fire Services Department for processing. If you do not provide such documents, or such documents are not complete, or the Fire Service Installations and Equipment and Fire Safety Products as referred to in such documents do not comply with the standards/specifications as required, the Fire Services Department will not be able to process your application.

本人聲明就本人所知所信,本申請表所填寫的各項資料均為正確、完備和真實。本人明白任何人為本申請的目的而言,明知而故意申報失實或填報其明知為虛假或不相信為真實的資料,根據香港法例即屬違法,可被檢控。

I declare that all information given in the application form is correct, complete and true to the best of my knowledge and belief. I understand that any person who knowingly and willfully makes a statement or gives information which he/she knows to be false or does not believe to be true for the purpose of this application shall be guilty of an offence under the Laws of Hong Kong and is liable to prosecution.

申請人簽署	公司蓋印(如適用)	申請日期
Applicant Signature	Company Chop (if applicable)	Application Date

FSD Of	FSD Official Use Only				
Required documents: Proceed / Reject					
ACO():	Date:			
Approval	/Acceptance	e: Recommend / Not Re	ecommend		
)Ont22).	Date			

申請人須知

專門用語

- 1. 產品測試主要着眼於按照訂明的標準對產品樣本進行測試,以及有關測試是否於認可測試實驗所進行。
- 2. 產品認證指產品的合格評定是按照相關產品認證計劃所訂明的合格評定而進行。一般而言,產品認證包括 ISO/IEC 17067內指明的產品測試、合格評定連同認證及監察檢查。如欲取得更多有關產品認證計劃的資 訊,請向製造商或產品認證機構查詢。
- 3. 產品認證機構指(i)提供認證服務連同認可名單計劃/服務並獲得中國內地或海外認證機構認可的中國內地或海外實驗所/機構;或(ii)提供認證服務連同認可名單計劃/服務並透過「香港認證機構認可計劃」獲得香港認可處認可的本地實驗所/機構。
- 4. 相互承認安排(「互認安排」)是個別認可機構(例如香港認可處)與其他認可機構為互相承認對方認可的實驗所發出的相關產品測試證書及報告而簽訂的協議。香港認可處已和其他地區/國際的認可合作組織簽訂不同的互認安排,例如分別與亞太認可合作組織(APAC)及國際實驗所認可合作組織(ILAC)簽訂的互認安排。所有由已簽訂互認安排的海外認可機構認可的實驗所發出的相關產品測試證書及報告亦獲消防處接納。

搋交文件

- 1. 每份申請只可包含一個型號/屬同一系列及同一類型的產品。
- 2. 所有產品資料必須與測試報告、產品目錄和技術細則/圖則的內容相符。
- 3. 申請表載列的「所需文件」及「文件要求」並非盡錄。
- 4. 申請人請以下列方式提交申請:

電子遞交

申請人亦可經消防處網站(https://eform.cefs.gov.hk/form/fsd058/tc/)或將申請文件發送至電郵(e_apply_fsi@hkfsd.gov.hk)。申請人應提交由消防處接納的測試機構發出的測試報告的正本或其核證副本,以供核實。在收到消防處的確認電郵及參考編號後七天內,請以已簽名封面信/公司信(引用相關消防處參考編號或電郵)連同該些文件郵寄或親身遞交至以下相關的辦事處地址;或

親身遞交或郵寄

請將申請文件郵寄或親身遞交至以下相關的指定辦事處地址。有關負責各種申請的指定辦事處,請參考《認可手提設備/接納消防裝置及設備和消防安全產品的的申請指引》。

信封面請註明「申請認可手提設備/接納消防裝置及設備和消防安全產品申請」

消防設施監督課	消防工程合規課 (通風系統組)	危險品執法課
牌照及審批總區	牌照及審批總區	牌照及審批總區
地址:	地址:	地址:
香港九龍九龍灣	香港灣仔	香港九龍尖沙咀
常悅道 11 號	告士打道 5 號	廣東道 333 號
新明大廈2樓	稅務大樓 35 樓	尖沙咀消防局綜合大樓 2 樓

目標處理時間

一般而言,本處會按收到申請書的先後次序處理,並會盡快處理所有申請。在正常情況下,一般處理申請的時間為:

1. 申請處理 - 15個工作天

2. 申請拒絕 - 7個工作天 (涉及任何文件不足的申請)

杳詢

如欲得到更多資訊和意見,請聯絡:

電話號碼 : 一般查詢:(852)2733 1567

查詢有關技術規定及評估:

(852) 2733 1567 (消防設施監督課) / (852) 2718 7567 (通風系統組) / (852) 3850 8487 (危險品執法課)

傳真 : (852) 2722 1915 (消防設施監督課) / (852) 2382 2495 (通風系統組) / (852) 3850 8450 (危險品執法課)

電郵地址 : e_apply_fsi@hkfsd.gov.hk

Notes to Applicants

Terminology

- 1. **Product Testing** mainly focuses on the testing of product samples to a prescribed standard and whether the test was carried out at an accredited testing laboratory.
- 2. **Product Certification** means the certification of a product which has been carried out in accordance with the conformity assessment as required by respective product certification scheme. In general, product certification includes product testing, conformity assessment with certification and surveillance inspection as stipulated in ISO/IEC 17067. For more information on the product certification scheme, please consult the manufacturer or Product Certification Body.
- 3. **Product Certification Body** (**PCB**) means (i) mainland China's/overseas laboratories/organisations that provide product certification service with listing scheme/service and is accredited by mainland China's/overseas accreditation bodies; or (ii) local laboratories/organisations that provide product certification service with listing scheme/service and is accredited by the Hong Kong Accreditation Service through the Hong Kong Certification Body Accreditation Scheme (HKCAS).
- 4. Mutual Recognition Arrangement (MRA) is an agreement signed among accreditation bodies, such as the Hong Kong Accreditation Service (HKAS), for the purpose of mutually recognising the respective product certificates and reports issued by one another's accredited laboratories. The HKAS has signed different MRAs with other regional/international accreditation cooperations, for example the MRAs under the 'Asia Pacific Accreditation Cooperation (APAC)' and 'the International Laboratory Accreditation Cooperation (ILAC)'. All respective product certificates and reports issued by the laboratories accredited by overseas signatories of these MRAs will also be recognised by the FSD.

Documents Submission

- 1. Each application can only contain one model / models of the same series and of the same type.
- 2. All product information shall correspond to those given in the Test Report, Product Catalogue and Technical Details/Drawings.
- 3. "Required Documents" and "Requirements of Documents" as set out in the application form are not exhaustive.
- 4. Applicant shall submit the applications by following means:

E-submission

Applicants can also submit the application through the FSD website (https://eform.cefs.gov.hk/form/fsd058/en/) or by E-mail to (e_apply_fsi@hkfsd.gov.hk). The original/certified true copy of test report(s) acceptable to FSD shall also be submitted for verification. Within 7 days upon receiving a confirmation email with reference number from the Fire Services Department, please submit those documents, together with a duly signed covering/company letter (quoting FSD reference number or E-mail), by post/in person to corresponding offices.

In person or by post

Please submit the application in person or by post to corresponding designated offices with address appended below. For designated office of corresponding application, please refer to *Guidance for Application for Approval of Portable Equipment /Acceptance of Fire Service Installations and Equipment and Fire Safety Products*.

Please also mark "Application for Approval of Portable Equipment and Acceptance of Fire Service Installations and Equipment and Fire Safety Products" on the envelope; or

Fire Protection Facilities Supervision Division Licensing and Certification Command	Fire Protection Engineering Compliance Division (Ventilation Systems Group) Licensing and Certification Command	Dangerous Goods Enforcement Division Licensing and Certification Command
Address:	Address:	Address:
2/F, Centre Parc,	35/F,	2/F,
No.11 Sheung Yuet Road	Revenue Tower,	Tsim Sha Tsui Fire Station Complex,
Kowloon Bay,	No.5 Gloucester Road,	No.333 Canton Road,
Kowloon, Hong Kong	Wan Chai, Hong Kong	Tsim Sha Tsui, Hong Kong

Target Processing Time

Applications are generally dealt with on a first come, first served basis. All applications will be processed as soon as possible. Under normal circumstances, the processing time would be:

1. Processing of Application: 15 working days

2. Rejection : 7 working days (Applications involving any omission of the required documents)

Enquiry

For further information and advice, please contact:

Tel. No. : General Enquiry: (852) 2733 1567

Enquiry about technical requirements and evaluation:

(852) 2733 1567 (Fire Protection Facilities Supervision Division) / (852) 2718 7567 (Ventilation Systems Group) /

(852) 3850 8487 (Dangerous Goods Enforcement Division)

Fax. No. : (852) 2722 1915 (Fire Protection Facilities Supervision Division) / (852) 2382 2495 (Ventilation Systems Group) /

(852) 3850 8450 (Dangerous Goods Enforcement Division)

E-mail : e apply fsi@hkfsd.gov.hk

毋須事先獲得消防處接納的常見消防裝置及設備和防火安全產品

簡稱: 1. 消防處守則 - 最低限度之消防裝置及設備與裝置及設備之檢查、

測試及保養守則(消防處)

2. 消防處通函 - 消防處通函(消防處)

3. 屋宇署消防安全守則 - 2011 年建築物消防安全守則(屋宇署)

4. 電力線路守則 - 電力(線路)規例工作守則(機電工程署)

	消防裝置及設備/防火安全產品 (毋須事先申請接納)		安裝/使用前須符合的要求及相關資料
1.	應急照明系統	a)	符合以下要求: (i) 消防處守則(最新版本) (ii) PPA 104 - 應急照明系統(連接中央供電系統)的消防規定 (iii) PPA 104(A) -獨立應急照明系統的消防規定 (iv) 屋宇署消防安全守則 (v) 電力線路守則
		b)	在申請對消防裝置/設備進行認可檢查/測試時(例如在申請普通食肆牌照或申請新建樓宇 消防證書的過程中)遞交測試證書/報告予消 防處相關單位(例如「消防工程合規課(消防 設施組)」、「牌照課」等)。

消防裝置及設備/防火安全產品 (毋須事先申請接納)

安裝/使用前須符合的要求及相關資料

2.

出口指示牌 (包括方向指示牌)



- a) 符合以下要求:
 - (i) 消防處守則(最新版本)
 - (ii) 屋宇署消防安全守則
 - (iii) 電力線路守則
- b) 在申請對消防裝置/設備進行認可檢查/測試 時(例如在申請普通食肆牌照或申請新建樓宇 消防證書的過程中)遞交測試證書/報告予消 防處相關單位(例如「消防工程合規課(消防 設施組)」、「牌照課」等)。

*註:在任何處所安裝的自身發光牌,必須遵守從香港輻射管理局的各項規定。

3. <u>不連警報器/發聲器或</u> 並非與自動火警警報系統一併使 用的閃燈



- a) 符合以下要求:
 - (i) 消防處守則(最新版本)
 - (ii) 消防處通函
 - (iii) 電力線路守則
- b) 在申請對消防裝置/設備進行認可檢查/測試 時(例如在申請普通食肆牌照或申請新建樓宇 消防證書的過程中)遞交測試證書/報告予消 防處相關單位(例如「消防工程合規課(消防 設施組)」、「牌照課」等)。

	消防裝置及設備/防火安全產品 (毋須事先申請接納)		安裝/使用前須符合的要求及相關資料
4.	自動火警警報系統監測組件	a) b)	符合以下要求: (i) 消防處守則(最新版本) (ii) 電力線路守則 在申請對消防裝置/設備進行認可檢查/測試時(例如在申請普通食肆牌照或申請新建樓宇消防證書的過程中)遞交測試證書/報告予消防處相關單位(例如「消防工程合規課(消防設施組)」、「牌照課」等)。
5.	防煙門	a)	符合屋宇署消防安全守則的要求
6.	門鎖	a)	符合屋宇署消防安全守則的要求

	消防裝置及設備/防火安全產品 (毋須事先申請接納)	安裝/使用前須符合的要求及相關資料
7.	並非與自動火警警報系統一併使用的開門裝置	a) 符合以下要求: (i) 屋宇署消防安全守則 (ii) 電力線路守則
8.	用於防煙門的防火/防煙封條	a) 符合屋宇署消防安全守則的要求
9.	用於花灑系統、消防栓/ 喉轆系統的喉管及相關配件	a) 符合以下要求: (i) 消防處守則(最新版本) (ii) 消防處通函 (iii) <u>《樓宇水管裝置手冊》(水務署)</u>

	消防裝置及設備/防火安全產品 (毋須事先申請接納)	安裝/使用前須符合的要求及相關資料
10.	消防沙桶	a) 符合消防處守則(最新版本)的要求
11.	危險品倉庫或危險品車輛內使用的設備及裝置(例如加油機汽體回收監察系統、於加油站使用的設備等),但不包括易燃液體供應裝置及易燃液體貯存缸	a) 請於正式申請危險品相關牌照時向消防處危險品課遞交有關文件。 b) 如有任何危險品倉庫事宜查詢,請聯絡:香港新界葵涌興盛路86號葵涌消防處辦公大樓4樓危險品管制課牌照及審批總區電話:2417 5757 傳真:2413 0873 c) 如有任何危險品車輛事宜查詢,請聯絡:香港九龍尖沙咀廣東道333號尖沙咀消防局綜合大樓2樓危險品執法課牌照及審批總區電話:3850 8487 傳真:3850 8450

備註:

消防處不時收到有關此列表載列的消防裝置及設備(「消防裝置」)或消防安全產品的申請。請注意,有關這些消防裝置及產品,毋須事先申請接納。註冊消防裝置承辦商及負責安裝其他設備的承辦商有責任遵守此列表所載的相應要求。此列表不能盡錄所有毋須事先獲得消防處接納的消防裝置及產品,如對手提設備的認可或消防裝置及消防安全產品的接納事宜有任何疑問,可向消防處牌照及審批總區消防設施監督課、消防工程合規課(通風系統組)或危險品執法課查詢。

Common Fire Service Installations and Equipment and Fire Safety Products NOT Requiring FSD's Prior Acceptance

Abbreviations: 1. FSD CoP - <u>Codes of Practice for Minimum Fire Service Installations and Equipment and Inspection, Testing and Maintenance of Equipment and Inspection, Testing and Maintenance of Equipment and Equipment Equipmen</u>

2. FSD Circular Letter by Fire Services Department
Letter

3. BDFS Code - Code of Practice for Fire Safety in Buildings 2011 by Buildings Department

Installations and Equipment by Fire Services Department

4. Wiring Code - Code of Practice for the Electricity (Wiring) Regulations by Electrical and Mechanical Services Department

	<u>Elec</u>	trical and Mechanical Services Department
	Fire Service Installations and Equipment / Fire Safety Products (Application for prior acceptance is not required)	Requirements for compliance prior to installation/use and relevant information
1.	Emergency Lighting	a) Conformity to requirements as stipulated in: (i) FSD CoP (latest version) (ii) PPA 104 - Requirements for Emergency Lighting Systems (with Central Power Supply) (iii) PPA 104(A) - Requirements for Self-contained Luminaires Emergency Lighting Systems (iv) BDFS Code (v) Wiring Code b) Submit the test certificate/report to respective units of FSD (such as 'Fire Protection Engineering Compliance Division (Fire Protection Facilities Group)', 'Licensing Division', etc.) during application for acceptance inspection/testing of fire service installations/equipment (such as in the course of application for general restaurant licence or application for Fire Services Certificate for new building)

Fire Service Installations and Equipment / Fire Safety Products (Application for prior acceptance is not required)

Requirements for compliance prior to installation/use and relevant information

2. Exit Sign (including Directional Sign)



- a) Conformity to requirements as stipulated in:
 - (i) FSDCOP (latest version)
 - (ii) BDFS Code
 - (iii) Wiring Code
- b) Submit the test certificate/report to respective units of FSD (such as 'Fire Protection Engineering Compliance Division (Fire Protection Facilities Group)', 'Licensing Division', etc.) during application for acceptance inspection/testing of fire service installations/equipment (such as in the course of application for general restaurant licence or application for Fire Services Certificate for new building)

*Remarks: The requirements of the Radiation Board of Hong Kong shall be observed for any installation of self luminous signs in any premises.

- 3. Strobe Light NOT integrated with Alarm/Sounder and/or NOT in conjunction with Automatic Fire Alarm System
- a) Conformity to requirements as stipulated in:
 - (i) FSD CoP (latest version)
 - (ii) FSD Circular Letter
 - (iii) Wiring Code
- b) Submit the test certificate/report to respective units of FSD (such as 'Fire Protection Engineering Compliance Division (Fire Protection Facilities Group)', 'Licensing Division', etc.) during application for acceptance inspection/testing of fire service installations/equipment (such as in the course of application for general restaurant licence or application for Fire Services Certificate for new building)



	Fire Service Installations and Equipment / Fire Safety Products (Application for prior acceptance is not required)	Requirements for compliance prior to installation/use and relevant information
4.	Module for Automatic Fire Alarm System Monitor	 a) Conformity to requirements as stipulated in: (i) FSD CoP (latest version) (ii) Wiring Code
	•	b) Submit the test certificate/report to respective units of FSD (such as 'Fire Protection Engineering Compliance Division (Fire Protection Facilities Group)', 'Licensing Division', etc.) during application for acceptance inspection/testing of fire service installations/equipment (such as in the course of application for general restaurant licence or application for Fire Services Certificate for new building)
5.	Smoke Stop Door	a) Conformity to requirements as stipulated in BDFS Code
6.	Door Lock	a) Conformity to requirements as stipulated in BDFS Code

	Fire Service Installations and Equipment / Fire Safety Products (Application for prior acceptance is not required)	Requirements for compliance prior to installation/use and relevant information
7.	Door Releasing Device NOT to be used in conjunction with Automatic Fire Alarm System PRESS TO EXIT	a) Conformity to requirements as stipulated in: (i) BDFS Code (ii) Wiring Code
8.	Fire/Smoke Seal for Smoke Stop Door	a) Conformity to requirements as stipulated in BDFS Code
9.	Piping and associated fittings for Sprinkler system and Fire Hydrant/Hose reel system	a) Conformity to requirements as stipulated in: (i) FSD CoP (latest version) (ii) FSD Circular Letter (iii) Handbook on Plumbing Installation for Buildings issued by Water Supplies Department

	Fire Service Installations and Equipment / Fire Safey Products (Application for prior acceptance is not required)		Requirements for compliance prior to installation/use and relevant information
10.	Sand Buckets	a)	Conformity to requirements as stipulated in FSD CoP (latest version)
11.	Equipment and installation being used in Dangerous Goods Store or Dangerous Goods Vehicles (e.g. Vapour Recovery Monitoring System, equipment used in Petrol Filling Station, etc.) other than Flammable Liquid Dispensing Device and Flammable Liquid Storage Tank	a) b)	Please submit relevant documents to Dangerous Goods Control Division and Dangerous Goods Enforcement Division of Fire Services Department during formal dangerous goods licensing application. For further enquiry of Dangerous Goods Store, please contact: Dangerous Goods Control Division Licensing and Certification Command 4/F, Fire Services Department Kwai Chung Office Building, 86 Hing Shing Road, Kwai Chung, New Territories, Hong Kong. Tel.: 2417 5757 Fax: 2413 0873
		c)	For further enquiry of Dangerous Goods Vehicles, please contact: Dangerous Goods Enforcement Division Licensing and Certification Command 2/F, Tsim Sha Tsui Fire Station Complex, 333 Canton Road, Tsim Sha Tsui, Kowloon, Hong Kong. Tel.: 3850 8487 Fax: 3850 8450

Remarks:

The Fire Services Department (FSD) receives applications in respect of the Fire Service Installations and Equipment (FSIs) and Fire Safety Products as mentioned in this list from time to time. Please note that application for prior acceptance in respect of these FSIs and products is not required. Registered Fire Service Installation Contractors and contractors for the installations of other equipment have the responsibilities to comply with the corresponding requirements as mentioned in the list. This list is by no means exhaustive. Further enquiries about application for approval of portable equipment or acceptance of FSI and Fire Safety Products can be made to the Fire Protection Facilities Supervision Division, the Fire Protection Engineering Compliance Division (Ventilation Systems Group) or Dangerous Goods Enforcement Division of the Licensing and Certification Command, FSD.