



防火通告第四號
FIRE PROTECTION NOTICE NO.4

危險品
DANGEROUS GOODS

危險品條例(第295章)
Dangerous Goods Ordinance (Chapter 295)

2016年4月
April 2016

FIRE PROTECTION NOTICE NO. 4

DANGEROUS GOODS

SECTION 3 of the Dangerous Goods Ordinance, Cap 295 declares the following to be '**DANGEROUS GOODS**':

'All explosives, compressed gases, petroleum and other substances giving off inflammable vapours substances giving off poisonous gas or vapour, corrosive substances, substances which become dangerous by interaction with water or air, substances liable to spontaneous combustion or of a readily combustible nature.'

SECTION 6 of the Ordinance states:

'Except under and in accordance with a licence granted under this Ordinance no person shall manufacture, store, convey or use any dangerous goods.'

1. The above that with the exception of Explosives (Category 1 Dangerous Goods) which can only be manufactured or stored as required by the Commissioner of Mines, other categories of dangerous goods can only be used and/or stored in excess of their statutory exempt quantity in accommodation approved and licensed by the Director of Fire Services.

2. Conveyance

A licence issued by the Director of Fire Services is required for any vehicle used for the conveyance of Category 2 or Category 5 dangerous goods exceeding its exempt quantity.

3. Containers, capacities and labels

Attention is drawn to various tables in the Dangerous Goods (General) Regulations, Cap 295B in relation to approved containers, capacities and labels required. Examples of labels are included at the end of this Notice.

Provided that, where any inner packing of any substance except Category 2 dangerous goods has already been conspicuously marked in English and Chinese in such manner as to indicate the nature of dangerous goods, nothing in this paragraph shall be construed to require the substitution therefor, or the addition thereto, of any label prescribed at the end of this Notice.

4. Removal and seizure

Fire Officers may require any dangerous goods being manufactured, stored, conveyed or used in any way in contravention of the Dangerous Goods Ordinance and its subsidiary legislation to be removed at the owner's expense to such a place which is in conformity with the Ordinance. Alternatively, the officer may seize and remove such goods.

5. Listing

This Notice contains an alphabetically listed index of all dangerous goods listed in the Dangerous Goods (Application and Exemption) Regulations, Cap 295A, with the exception of Category 1 (Explosives and blasting agents) in respect of which the Authority is the Commissioner of Mines.

6. Classification

Pursuant to the Dangerous Goods (Application and Exemption) Regulations, Cap 295A, dangerous goods are classified into the following categories:

Category 1: **Explosives and blasting agents** (*The Authority is the Commissioner of Mines*)

Category 2: * **Compressed gases** Class 1 Permanent gases
 Class 2 Liquefied gases
 Class 3 Dissolved gases

Category 3: **Corrosive substances**

Category 4: **Poisonous substances** Class 1 Substances giving off a poisonous gas or vapour
 Class 2 Certain other poisonous substances

Category 5:* **Substances giving off inflammable vapour** Class 1 Flash point below 23°C
 Division 1- immiscible with water
 Division 2 - miscible with water
 Class 2 Flash point of or exceeding 23°C but not exceeding 66°C
 Division 1 - immiscible with water
 Division 2 - miscible with water
 Class 3 Flash point of or exceeding 66°C
 (diesel oils, furnace oils and other fuel oils only)

Category 6: **Substances which become dangerous by interaction with water**

Category 7: **Strong supporters of combustion**

Category 8: **Readily combustible substances**

Category 9: **Substances liable to spontaneous combustion**

Category 9A: **Combustible goods**

Category 10: **Other dangerous substances**

* Rider clauses (i.e. catch-all provisions) are provided for Category 2 and Category 5 dangerous goods to include any other substances having similar properties but not yet specified in the list.

7. Potable spirits (Category 5 dangerous goods)

"Potable spirit" means any spirit being miscible with water, other than denatured spirits as defined in section 53 of the Dutiable Commodities Ordinance (Cap 109), containing more than 35% of ethyl alcohol by volume and having a flash point of or exceeding 23 °C but not exceeding 66 °C.

The exempt quantities of potable spirits are:-

- (1) For transport only, any quantity not exceeding 12 500 L in the aggregate.
- (2) For storage only –
 - (a) any quantity not exceeding 12 500 L in the aggregate when packed in individual receptacles not exceeding a capacity of 5 L and stored or used in premises protected throughout by automatic sprinkler installations;
 - (b) any quantity not exceeding 6 250 L in the aggregate when packed in individual receptacles not exceeding a capacity of 5 L and stored or used in premises not protected throughout by automatic sprinkler installations;
 - (c) any quantity not exceeding 2 500 L in the aggregate when packed in individual receptacles exceeding a capacity of 5 L and stored or used in any premises.

8. Category 9A combustible goods (exempted from Section 6 to 11 of Cap 295)

This table lists the maximum quantity of Category 9A combustible goods in the following types of premises:

- (a) *Premises forming part of a building in which other premises are used for residential purposes or otherwise than for the purpose of an industrial undertaking;*
- (b) *Buildings used exclusively for purposes of industrial undertakings.*

The person in control of such premises or place shall, within 48 hours, send a notice in writing to the Director of Fire Services in respect of the details of storage if the total storage quantity is in excess of these quantities as stipulated below:

TABLE

<u>Combustible goods</u>	Type of premises	
	(a)	(b)
Cotton (raw)	50 kg	2 tonnes
Kapok	50 kg	2 tonnes
Cotton waste	100 kg	2 tonnes
Matches	30 kg	500 kg
Polytetrafluoroethylene	250 kg	2 tonnes
Polythene, raw material	250 kg	2 tonnes
Polystyrene, raw material	250 kg	2 tonnes
Polyvinyl Chloride, raw material	250 kg	2 tonnes
Polymethylmethacrylate, raw material	250 kg	2 tonnes
Polypropylene, raw material	250 kg	2 tonnes
Rubber, raw	100 kg	2 tonnes
Rubber tyres, motor	50 tyres	500 tyres

9. Prohibited goods

SECTION 7 of the Ordinance states:

'No person shall manufacture or cause to be manufactured any prohibited goods or have any prohibited goods in his possession, custody or control or in the possession, custody or control of any servant, agent or warehouse owner.'

The following goods are declared as prohibited goods:

- Ammonium Permanganate
- Ammonium Chlorate
- Ammonium Nitrate, if containing organic matter otherwise than of a nature and within a limit approved, either generally or in any particular case, by the Authority
- Arsine, except when it is contained in cylinders not exceeding 1 m³ in volume at Standard Temperature and Pressure and of a type approved by the Authority, and is brought into Hong Kong exclusively for electronic production processes within Hong Kong, and is stored and used in licensed premises within a limit approved, either generally or in any particular case, by the Authority
- Calcium Azide, except in aqueous solution not exceeding 20% of Calcium Azide by weight
- Chloric Acid solutions of strength greater than 10% by weight
- Hydrazine Nitrate
- Hydrazine Perchlorate
- Hydrogen Cyanide, unstabilized
- Hydrogen Peroxide solutions of strength greater than 60% by weight
- Manufactured fireworks (Cat.1, Cl.7, Div.2) which explode on impact
- Organic Perchlorates
- Perchloric Acid solutions of strength greater than 72% by weight
- Vinyl Chloride Monomer

10. Legal obligation

Persons who are involved with the manufacture, storage, use or conveyance of dangerous goods have a legal responsibility to ensure that none of the licensing requirements and the provisions of the Dangerous Goods Ordinance and its subsidiary legislation are violated. Licensees should be conversant with the provisions of the Dangerous Goods Ordinance and its subsidiary legislation as applicable to the particular dangerous goods being manufactured, stored, used or conveyed. Public can access the contents of the legislation through the Bilingual Laws Information System of the Department of Justice via the following website:

www.legislation.gov.hk

11. Common offences

Complaints received and routine inspections concerning dangerous goods carried out indicate the following common contraventions against the Dangerous Goods Ordinance and its subsidiary legislation:

- (a) *Storage, conveyance or use of dangerous goods in excess of its statutory exempt quantity without a valid dangerous goods licence;*
- (b) *Storage of dangerous goods of a category different from the category of the licensed store in which they are placed;*
- (c) *Storage of different categories of dangerous goods in the same store;*
- (d) *Storage of dangerous goods with other general goods in licensed dangerous goods stores;*
- (e) *Storage of dangerous goods in excess of its statutory exempt quantity on open ground (unlicensed areas); and*
- (f) *Storage of dangerous goods in containers not conforming to those specified in the regulations.*

12. Penalty

Any person who contravenes any provisions of the Dangerous Goods Ordinance and its subsidiary legislation is liable to a maximum fine of \$25,000 and to imprisonment for six months for a single offence. In addition, the Director of Fire Services may revoke any licence as empowered under section 9 of the Dangerous Goods Ordinance.

13. Application for licence

An application for manufacture, storage, conveyance or use of any dangerous goods should be made in accordance with regulations 62, 75, 77, 77A, 81, 87, 96, 99A, 101, 116, 124, 136, 150, 156, 167, 171B or 173 of the Dangerous Goods (General) Regulations, Cap 295B and submitted to the following office:-

**Dangerous Goods Division
4/F, Fire Services Department Kwai Chung Office Building,
86 Hing Shing Road, Kwai Chung, N.T.
Tel.: 2417 5757
Fax.: 2413 0873
E-mail : fsdgd@hkfsd.gov.hk**

14. Enquiries

The information given in this booklet is for guidance only and is not a detailed analysis of the legislative provisions. For further information or enquiry, please visit the Fire Services Department website **www.hkfsd.gov.hk** or contact the Fire Services Department at telephone no: 2417 5757 or 2733 7619.

15. Complaints

Please call 2723 8787 (24hrs hotline) for making complaints about dangerous goods.

Abbreviations

Cat.	Category
Cl.	Class
Div.	Division
kg	Kilogram
L	Litre

防火通告第四號 危險品

香港法例第 295 章《危險品條例》第 3 條訂明以下為「危險品」：

「所有爆炸品、壓縮氣體、石油及其他發出易著火蒸氣的物質、發出有毒氣體或蒸發的物質、腐蝕性物質、與水或空氣相互影響時會變為危險的物質、可自燃或隨時可能燃燒的物質。」

《危險品條例》第 6 條訂明：

「除根據並按照本條例批給的牌照外，任何人不得製造、貯存、運送或使用任何危險品。」

(一) 上文意指除第 1 類危險品(即爆炸品及爆破劑)之製造或貯存須由礦務處處長規定外，其他類別危險品之使用或貯存若超過它本身法律訂的豁免量，這些危險品的貯存地點須經消防處處長批准及發給牌照。

(二) 運送

運送超過豁免量的第 2 類或第 5 類危險品之所有車輛須有消防處處長發給之牌照。

(三) 容器、容量及標簽

條例所列有關認可之容器、容量及標簽之規定，須特別加以注意。標簽的樣本附列於本通告後頁。

除第 2 類危險品外，其他內包裝的標簽如果能夠以中英文標記清楚顯示危險品的性質，則此段不得解釋作須代以或加上本通告後頁所訂明的任何標籤。

(四) 移走及檢取

消防處主任級人員可將違犯《危險品條例》及其附屬規例規定而正在製造、貯存、運送或使用中之危險品遷移至符合條例規定之地點，並由物主支付搬移之費用。此外，消防處主任級人員亦可將該等危險品沒收及遷移。

(五) 目錄

香港法例第 295A 章《危險品(適用及豁免)規例》所表列之危險品均按英文字母之先後次序詳列於此冊子之危險品名冊中。但由於第 1 類危險品 (即爆炸品及爆破劑) 屬礦務處處長所管轄，所以並不列入此目錄內。

(六) 類別

香港法例第 295A 章《危險品(適用及豁免)規例》將危險品分為以下類別：

第 1 類： 爆炸品及爆破劑 (屬礦務處所管轄)

第 2 類：* 壓縮氣體 第 1 分類 - 永久氣體
 第 2 分類 - 液化氣體
 第 3 分類 - 溶解氣體

第 3 類： 腐蝕性物質

第 4 類： 有毒物質 第 1 分類 - 發出有毒氣體或蒸氣的物質
 第 2 分類 - 某些其他有毒物質

第 5 類：* 發出易著火蒸氣的物質 第 1 分類 - 引火點低於 23°C 的物質
 第 1 部 - 不與水溶混的物質
 第 2 部 - 可與水溶混的物質
 第 2 分類 - 引火點為 23°C 或高於 23°C 但不高於 66°C 的物質
 第 1 部 - 不與水溶混的物質
 第 2 部 - 可與水溶混的物質
 第 3 分類 - 引火點為 66°C 或高於 66°C 的物質(只適用柴油及燃油)

第 6 類： 與水相互影響會變為危險的物質

第 7 類： 強力助燃劑

第 8 類： 隨時可能燃燒的物質

第 9 類： 可自燃的物質

第 9A 類： 可能燃燒物品

第 10 類： 其他危險物質

* 第 2 類及第 5 類危險品有附加條款(即概括性條文)指出任何其他未列出而具有類似性質的物質亦包括在內。

(七) 第 5 類危險品 - 可飲用酒精

“可飲用酒精”指可與水溶混、按量計含超過 35%乙醇而引火點為 23°C 或高於 23°C 但不高於 66°C 的任何酒精，但《應課稅品條例》(第 109 章)第 53 條所界定的變性酒精除外。

可飲用酒精的豁免量如下：-

(1) 運送方面：不超過 12 500 升可飲用酒精。

(2) 貯存方面：

(甲) 在全面受到自動灑水裝置保護的處所內和分別以容量不超過 5 升的容器包裝，總共只可貯存或使用不超過 12 500 升可飲用酒精。

(乙) 在未全面受到自動灑水裝置保護的處所內和分別以容量不超過 5 升的容器包裝，總共只可貯存或使用不超過 6 250 升可飲用酒精。

(丙) 若以容量超過 5 升的容器包裝，在任何處所內總共只可貯存或使用不超過 2 500 升可飲用酒精。

(八) 第 9A 類可能燃燒物品(豁免受《危險品條例》第 6 至 11 條管制)

此表列出在下述處所內貯存可能燃燒物品之最高限額。

(甲) 構成任何建築物一部分的處所，而該建築物內其他處所是作居住用途或作工業經營以外的其他用途；

(乙) 專作工業經營用途的建築物。

控制該處所或地方的人須在 48 小時內向消防處處長送交書面通知，註明有關貯存超過下列數量可能燃燒物品的細節及資料。

可能燃燒物品	(甲)	(乙)
原棉	50 公斤	2 公噸
木棉	50 公斤	2 公噸
廢棉〈俗稱“威士”〉	100 公斤	2 公噸
火柴	30 公斤	500 公斤
聚四氟乙烯	250 公斤	2 公噸
聚乙烯〈原料〉	250 公斤	2 公噸
聚苯乙烯〈原料〉	250 公斤	2 公噸
聚氯乙烯〈原料〉	250 公斤	2 公噸
聚甲基丙烯酸甲酯〈原料〉	250 公斤	2 公噸
聚丙烯〈原料〉	250 公斤	2 公噸
生橡膠	100 公斤	2 公噸
橡膠輪胎	50 個	500 個

(九) 違禁品

第 7 條聲明：

「任何人不得製造任何違禁品或致使任何違禁品的製造，或管有、保管或控制任何違禁品，或由任何受僱人、代理人或貨倉擁有人管有、保管或控制任何違禁品。」

下列物品經公佈為違禁品：-

- 高錳酸銨
- 氯酸銨
- 硝酸銨，如所含的有機物的性質及限量並不符合主管當局一般地或在任何個別情況下所批准者
- 砷化氫，但如在標準溫度及壓力下載於容積不超逾 1 立方米並屬主管當局批准的類別的氣瓶內，而且帶進香港專供香港的電子生產工序使用，以及在主管當局一般地或在任何個別情況下所批准的限量內在領有牌照處所內貯存和使用，則屬例外
- 叠氮化鈣，但如是水溶液，且按重量疊氮化鈣量不超逾 20% 者，則屬例外
- 氯酸溶液，按重量濃度超過 10%
- 硝酸肼
- 高氯酸肼
- 氯化氫，不穩定的
- 過氧化氫溶液，按重量濃度超過 60%
- 爆竹煙花製品(第 1 類第 7 分類第 2 部危險品)，遇撞擊即爆炸的
- 有機高氯酸鹽
- 高氯酸溶液，按重量濃度超過 72%
- 氯乙烯單體

(十) 法律責任

凡與危險品之製造、貯存、使用或運送有關之人士，須確保牌照之規定不致違反，以及遵循《危險品條例》及其附屬規例之規定。危險品牌照持有人必須了解《危險品條例》及其附屬規例有關其所製造、貯存、使用或運送危險品之各項規定。公眾可透過以下互聯網網址瀏覽律政司雙語法例資訊系統有關法例的內容。

www.legislation.gov.hk

(十一) 常見違例事項

在接獲有關危險品之投訴及檢查時，常發現下列之違反《危險品條例》及其附屬規例之事件：

- (1) 貯存、使用或運送超過法訂豁免分量的危險品，而沒有有效的危險品牌照；
- (2) 貯存之危險品種類與該危險品倉牌照所規定之危險品種類不符；
- (3) 將不同種類之危險品同置於一貨倉內；
- (4) 將危險品與普通貨物同置於領有危險品牌照之貨倉內；
- (5) 貯存超過法訂豁免量的危險品於未有領有牌照之空曠地方；及
- (6) 用不合規格的容器貯存危險品。

(十二) 罰則

任何人士違犯《危險品條例》及其附屬規例之任何條文，即屬犯罪，每一項控罪，最高可被罰款二萬五千元及監禁 6 個月。此外，消防處處長可根據《危險品條例》第九條所賦予之權力吊銷任何牌照。

(十三) 申請牌照

任何人士製造、貯存、運送或使用任何危險品都必須遵照香港法例第 295B 章《危險品(一般)規例》第 62、75、77、77A、81、87、96、99A、101、116、124、136、150、156、167、171B 或 173 條的規定提出申請，並把申請書送交下列辦事處辦理：

消防處危險品課
新界葵涌興盛路 86 號消防處葵涌辦公大樓 4 樓
電話：2417 5757
傳真：2413 0873
電郵：fsdgd@hkfsd.gov.hk

(十四) 查詢

本小冊子之內容只是就有關的法例條文作出簡介而並不是一個詳盡分析。如需要更多資料或有任何查詢歡迎瀏覽消防處網頁 www.hkfsd.gov.hk 或致電消防處（電話：2417 5757 或 2733 7619）查詢。

(十五) 投訴

如有任何涉及危險品的投訴，請致電：2723 8787 (24 小時熱線)。

縮寫

Cat.	類
Cl.	分類
Div.	部
kg	公斤
L	升

DANGEROUS GOODS LIST

危險品名冊

Name	名稱	Cat./Cl./Div. 類/分類/部	Exempt Quantity 豁免量	Label 標籤
Note:				
1.	A person shall obtain a dangerous goods licence from the Authority if he/she stores, uses or conveys dangerous goods in excess of its individual exempt quantity as specified in the following table in respect of that type of dangerous goods or the following aggregate exempt quantity for Cat.2 and/or Cat.5 dangerous goods: <ul style="list-style-type: none"> • Aggregate exempt quantity of Cat.2 dangerous goods is 5 cylinders or 25 L of gases where 1 cylinder is deemed to be equivalent to 5 L; • Aggregate exempt quantity of Cat.5 Cl.1 dangerous goods is 40 L; and • Aggregate exempt quantity of Cat.5 Cl.2 dangerous goods is 40 L. 			
2.	For the store or use of dangerous goods in and for medical establishment and laboratory, please refer to the statutory exempt quantity of respective dangerous goods as stipulated in the Dangerous Goods (General) Regulations, Cap. 295B.			
備註：				
1.	任何人貯存、使用或運送超過個別危險品的法訂豁免量或下列第 2 類及/或第 5 類危險品的總豁免量，必須向主管當局申請有關的危險品牌照。 <ul style="list-style-type: none"> • 第 2 類危險品的總豁免量為 5 個氣瓶或 25 公升氣體(以 1 個氣瓶當作相等於 5 升計算)； • 第 5 類第 1 分類危險品的總豁免量為 40 公升； • 第 5 類第 2 分類危險品的總豁免量為 40 公升。 			
2.	如在醫療機構或實驗室處所內貯存或使用危險品，請參閱香港法例第 295B 章《危險品(一般)規例》對個別危險品規定的法訂豁免量。			
Accelerene	促進烯	Cat.9	see Dimethyl-p-Nitrosoaniline / 參閱對亞硝基二甲基苯胺	
Acetaldehyde	乙醛	Cat.5, Cl.1, Div.2	20 L	B1

Name	名稱	Cat./Cl./Div. 類/分類/部	Exempt Quantity 豁免量	Label 標籤
Acetic Acid over 80% strength by weight	醋酸，按重量濃度超過 80%	Cat.3	50 L	E
Acetic Anhydride	無水醋酐	Cat.3	25 L	E
Acetone	丙酮	Cat.5, Cl.1, Div.2	20 L	B1
Acetone Cyanohydrin, stabilized	丙酮合氰化氫，穩定的	Cat.4, Cl.1	25 L	D
Acetyl Chloride	乙醯氯	Cat.3	NIL / 無	E , H
Acetylene	乙炔	Cat.2, Cl.3	2 cylinders / 氣瓶	B3
Acetylene Tetrachloride	四氯乙烷	Cat.4 Cl.1	100 L	NIL / 無
Acetyldehyde Ammonia (Aldehyde Ammonia)	乙醛合氨	Cat.10	10 kg	NIL / 無
Acrolein	丙烯醛	Cat.5, Cl.1, Div.2	20 L	B1 , D
Acrylonitrile	丙烯腈	Cat.5, Cl.1, Div.1	20 L	B1 , D
Aeroplane Dope	飛機漆	Cat.5, Cl.1, Div.1	20 L	B1
Air, compressed	空氣，壓縮的	Cat.2, Cl.1	2 cylinders / 氣瓶	NIL / 無
Air, Liquid	空氣，液態的	Cat.2, Cl.2	25 L	NIL / 無
Alcohol Butyl (tertiary)	丁醇(叔)	Cat.5, Cl.1, Div.2	20 L	B1
Aldehyde Ammonia	乙醛合氨	Cat.10	see Acetyldehyde Ammonia / 參閱乙醛合氨	
Alkaline solutions of Sodium Chlorite	亞氯酸鈉(鹼性溶液)	Cat.4, Cl.1	250 L	E
Allyl Alcohol	烯丙醇	Cat.5, Cl.1, Div.1	20 L	B1 , D
Aluminium Chloride, Anhydrous	無水氯化鋁	Cat.3	10 kg	E , H
Aluminium Ferrosilicon	鋁硅鐵劑	Cat.6	NIL / 無	H
Aluminium Hydride	氫化鋁	Cat.6	NIL / 無	H
Aluminium Metal or Alloy in unpolished powder form	未經琢磨成粉狀之鋁或鋁合金	Cat.6	10 kg	H

Name	名稱	Cat./Cl./Div. 類/分類/部	Exempt Quantity 豁免量	Label 標籤
Aluminium Silicon, in powder form	鋁硅，粉狀的	Cat.6	25 kg	H
Ammonia, Anhydrous	氨，無水的	Cat.2, Cl.2	1 cylinder / 氣瓶	D1
Ammonia Solutions, containing not less than 10% ammonia by weight	氨溶液，按重量含氨不少於10%	Cat.4, Cl.1	50 L	D
Ammonium Bichromate (Ammonium Dichromate)	重鉻酸銨	Cat.7	5 kg	G
Ammonium Dinitro-Ortho-Cresolate	二硝基原酚鹽銨	Cat.10	10 kg	D1
Ammonium Hydrogen Fluoride (Ammonium Bifluoride)	氟化氫銨(二氟化銨)	Cat.3	NIL / 無	E
Ammonium Nitrate, free from added organic matter and not being included in Cat.1	硝酸銨，不含添加的有機物和不包括在第1類危險品者	Cat.7	NIL / 無	G
Ammonium Perchlorate	高氯酸銨	Cat.7	10 kg	G
Amyl Acetate	醋酸戊酯	Cat.5, Cl.1, Div.1	20 L	B1
Amyl Alcohol (tertiary)	戊醇(叔)	Cat.5, Cl.1, Div.1	20 L	B1
Amyl Alcohols, except tertiary Amyl Alcohol	戊醇類，叔戊醇除外	Cat.5, Cl.2, Div.1	20 L	B2
Amyl Chloride	氯戊烷	Cat.5, Cl.1, Div.1	20 L	B1
Amyl Nitrite	亞硝酸戊酯	Cat.5, Cl.1, Div.1	20 L	B1 , D
Aniline (Aniline Oil)	苯胺(苯胺油)	Cat.4, Cl.1	25 L	D
Antimonious Chloride	三氯化銻	Cat.3	NIL / 無	D , E
Antimony Pentachloride (Antimony Perchloride)	五氯化銻(過氯化銻)	Cat.3	NIL / 無	D , E
Antimony Trichloride (Antimonious Chloride)	三氯化銻(氯化銻)	Cat.3	NIL / 無	D , E
Argon	氩	Cat.2, Cl.1	1 cylinder / 氣瓶	NIL / 無

Name	名稱	Cat./Cl./Div. 類/分類/部	Exempt Quantity 豁免量	Label 標籤
Arsenic Bromide	溴化砷	Cat.4, Cl.1	NIL / 無	D
Arsenic Chloride	氯化砷	Cat.4, Cl.1	NIL / 無	D
Arsenic Compounds other than those specified elsewhere in Cat.4 Cl.2	砷化合物，在第 4 類第 2 分類其他地方指明者除外	Cat.4, Cl.2	5 kg (solid) (固體); or 10 L (liquid)(溶液)	D1
Arsenic Trioxide (White Arsenic)	三氧化砷(白砷)	Cat.4, Cl.2	5 kg	D1
Barium Alloys, non-pyrophoric	鋇合金，非自燃的	Cat.6	NIL / 無	H
Barium Alloys, pyrophoric	鋇合金，自燃的	Cat.9	NIL / 無	I
Barium Chlorate	氯酸鋇	Cat.7	5 kg	C
Barium Metal	鋇	Cat.6	NIL / 無	H
Barium Nitrate	硝酸鋇	Cat.7	25 kg	G , D1
Barium Perchlorate	高氯酸鋇	Cat.7	10 kg	G , D1
Barium Permanganate	高錳酸鋇	Cat.7	10 kg	G , D1
Barium Peroxide (Barium Dioxide)	過氧化鋇(二氧化鋇)	Cat.7	10 kg	G , D1
Barium Salts, except Barium Sulphate, Barium Cyanide and such Salts of Barium as are included in Cat.7	鋇鹽類，硫酸鋇、氰化鋇及第 7 類所包括的鋇鹽類除外	Cat.4, Cl.2	10 kg	D1
Battery Fluid (Electrolyte) (A) Sulphuric Acid of strength not exceeding 50% by weight (B) Sulphuric Acid of strength exceeding 50% by weight (C) Solutions of Potassium Hydroxide (Caustic Potash)	電池水(電解液) (甲) 硫酸濃度不超過 50% (乙) 硫酸濃度超過 50% (丙) 氢氧化鉀溶液(苛性鉀)	Cat.3 Cat.3 Cat.3	25 L 10 L 50 L	E E E
Benzaldehyde	苯甲醛	Cat.5, Cl.2, Div. 1	20 L	B2
Benzene (Benzol, Coal Tar Benzol)	苯(煤焦油苯)	Cat.5, Cl.1, Div. 1	20 L	B1

Name	名稱	Cat./Cl./Div. 類/分類/部	Exempt Quantity 豁免量	Label 標籤
Benzine (Petroleum Spirit)	汽油	Cat.5, Cl.1, Div.1	20 L	B1
Benzoyl Chloride	苯甲醯氯	Cat.3	NIL / 無	D , E
Benzoyl Peroxide (Dibenzoyl Peroxide)	過氧化苯甲醯(過氫化二苯甲醯)	Cat.10	NIL / 無	F , G
Beryllium (Powder, Flake or Swarf)	鍍(粉，薄片或碎屑)	Cat.4, Cl.1	5 kg	D
Beryllium Chloride	氯化鍍	Cat.4, Cl.1	5 kg	D
Beryllium Hydroxide	氫氧化鍍	Cat.4, Cl.1	5 kg	D
Beryllium Nitrate	硝酸鍍	Cat.4, Cl.1	5 kg	D , G
Beryllium Oxide	氧化鍍	Cat.4, Cl.1	5 kg	D
Beryllium Sulphate	硫酸鍍	Cat.4, Cl.1	5 kg	D
Benzyl Chloride	苄基氯	Cat.5, Cl.2, Div.1	NIL / 無	B2 , D
Bleaching Powder (Chloride of Lime, Calcium Hypochlorite)	漂白粉(氯化石灰，次氯酸鈣)	Cat.4, Cl.1	250 kg	D
Blowing Agents for rubber manufacture	膠製品之發泡劑	Cat.10	5 kg	B4
Boron Trichloride	三氯化硼	Cat.2, Cl.2	NIL / 無	NIL / 無
Boron Trifluoride	三氟化硼	Cat.2, Cl.1	NIL / 無	D1
Boron Trifluoride (Acetic Acid Complex)	三氟化硼醋酸配合物	Cat.3	NIL / 無	D , E
Brake Fluid	制動機油	Cat.5, Cl.1, Div.1	20 L	B1
		Cat.5, Cl.2, Div.1	20 L	B2
Bromine and Solutions of Bromine	溴和溴溶液	Cat.4, Cl.1	NIL / 無	D
Bromobenzene	溴苯	Cat.5, Cl.2, Div.1	20 L	B2
Butadiene	丁二烯	Cat.2, Cl.2	1 cylinder / 氣瓶	B3
Butyl Acetate	乙酸丁酯	Cat.5, Cl.2, Div.1	20 L	B2

Name	名稱	Cat./Cl./Div. 類/分類/部	Exempt Quantity 豁免量	Label 標籤
Butyl Alcohols (Butanols), other than tertiary Butyl Alcohol	丁醇，叔丁醇除外	Cat.5, Cl.2, Div.1	20 L	B2
Butyraldehyde	丁醛	Cat.5, Cl.1, Div.2	20 L	B1
Calcium Alloys, pyrophoric	鈣合金，自燃的	Cat.9	NIL / 無	I
Calcium Carbide (Carbide of Calcium)	碳化鈣	Cat.6	5 kg	H
Calcium Chlorate	氯酸鈣	Cat.7	5 kg	F
Calcium Chlorite	亞氯酸鈣	Cat.7	5 kg	F
Calcium Cyanamide (Nitrolim)	氨氰化鈣(石灰氮)	Cat.6	10 kg	H
Calcium Hydride	氫化鈣	Cat.6	NIL / 無	H
Calcium Hydrogen Sulphite Solution (Calcium Bisulphite Solution)	重亞硫酸鈣溶液(硫氫化鈣溶液)	Cat.3	250 L	NIL / 無
Calcium Hypochlorite	次氯酸鈣	Cat.4, Cl.1	<i>see Bleaching Powder /</i> <i>參閱漂白粉</i>	
Calcium Metal and Alloys, non-pyrophoric	鈣及鈣合金，非自燃的	Cat.6	NIL / 無	H
Calcium Perchlorate	高氯酸鈣	Cat.7	10 kg	G
Calcium Permanganate	高錳酸鈣	Cat.7	10 kg	G
Calcium Peroxide	過氧化鈣	Cat.7	10 kg	G
Calcium Phosphide	磷化鈣	Cat.6	NIL / 無	H
Calcium Silicide	硅化鈣	Cat.6	NIL / 無	H
Calcium Silicon (Calcium Manganese Silicon)	鈣硅(鈣錳硅)	Cat.6	NIL / 無	H
Camphor Oil	樟腦油	Cat.5, Cl.2, Div.1	20 L	B2
Carbolic Acid	石炭酸	Cat.4, Cl.1	250 kg (solid) (固體); or 250 L (liquid) (液體)	D , E

Name	名稱	Cat./Cl./Div. 類/分類/部	Exempt Quantity 豁免量	Label 標籤
Carbon Dioxide	二氧化碳	Cat.2, Cl.2	1 cylinder / 氣瓶 *unlimited when intended for use with fire extinguishers *如供滅火筒用，則無豁免量的限制	NIL / 無
Carbon Disulphide (Carbon Bisulphide)	二硫化碳	Cat.5, Cl.1, Div.1	NIL / 無	B1 , D
Carbon Monoxide	一氧化碳	Cat.2, Cl.1	NIL / 無	B3 , D1
Carbon Tetrachloride	四氯化碳	Cat.4, Cl.1	100 L	D
Caustic Potash	苛性鉀	Cat.3	see Potassium Hydroxide / 參閱氫氧化鉀	
Caustic Soda	苛性鈉	Cat.3	see Sodium Hydroxide / 參閱氫氧化鈉	
Celluloid, raw celluloid and articles composed wholly or mainly of celluloid	賽璐珞，原賽璐珞及完全或主要由賽璐構成的物品	Cat.8	10 kg	F
Cellulose and other Enamels, Lacquers, Paints and Varnishes but excluding thinner	纖維素及其他磁漆類、纖維漆類、漆油類及假漆類，但不包括稀釋劑	Cat.5, Cl.1, Div.1 Cat.5, Cl.2, Div.1	Not exceeding an aggregate of 250 L 總數不超過 250 升	B1 B2
Celluloid Scrap, including film scrap	賽路珞碎片，包括膠卷碎片	Cat.8	10 kg	F
Cement, Liquid	接合劑，液體的	Cat.5, Cl.1, Div.1 Cat.5, Cl.2, Div.1	20 L 20 L	B1 B2
Chile Saltpetre	智利硝石	Cat.7	see Sodium Nitrate / 參閱硝酸鈉	
Chloric Acid Solutions not exceeding 10% acid by weight	氯酸溶液，按重量不超逾 10%	Cat.7	NIL / 無	G , D
Chloride of Lime	氯化石灰	Cat.4, Cl.1	see Bleaching Powder / 參閱漂白粉	

Name	名稱	Cat./Cl./Div. 類/分類/部	Exempt Quantity 豁免量	Label 標籤
Chlorine	氯	Cat.2, Cl.2	NIL / 無	D1
Chloroacetic Acid (Monochloroacetic Acid)	氯醋酸	Cat.3	10 kg	E
Chloroacetyl Chloride	氯乙酰氯	Cat.3	NIL / 無	E , H
Chlorobenzene	氯苯	Cat.5, Cl.2, Div. 1	20 L	B2
Chlorobromomethane	氯溴甲烷	Cat.4, Cl.1	100 L	D
Chlorodinitrobenzenes	二硝基甲苯	Cat.4, Cl.2	NIL / 無	D1
Chloroform	氯仿	Cat.4, Cl.1	100 L	NIL / 無
Chloropicrin (Trichloronitromethane)	氯化苦劑(三氯硝甲烷)	Cat.4, Cl.1	NIL / 無	D
Chlorosulphonic Acid, with or without Sulphur Trioxide	氯磺酸，不論有無三氧化硫	Cat.3	NIL / 無	E , H
Chlorotrifluoromethane (Arcton 13, Freon 13)	氯三氟甲烷(Arcton 13, 氟利昂 13)	Cat.2, Cl.2	2 cylinders / 氣瓶	NIL / 無
Chromic Acid, solution	鉻酸，溶液的	Cat.3	25 L	E , G
Chromic Acid Solid (Chromium Trioxide)	固體鉻酸(三氧化鉻)	Cat.7	10 kg	G , D1
Chromic Fluoride	氟化鉻	Cat.3	NIL / 無	E , H
Coal Gas	煤氣	Cat.2, Cl.1	NIL / 無	B3 , D1
Coal Tar Benzol	煤焦油苯	Cat.5, Cl.1, Div. 1	see Benzene / 參閱苯	
Coal Tar Distillates and oils	煤焦油蒸餾物及餾油	Cat.5, Cl.1, Div. 1	20 L	B1
		Cat.5, Cl.2, Div. 1	20 L	B2
Collodion	火棉膠	Cat.5, Cl.1, Div. 1	20 L	B1
Cotton (raw) (loose) and Kapok including sweepings	原棉(疏鬆的)及木棉包括碎屑在內	Cat.9A	see Note 8 / 參閱第八項	NIL / 無

Name	名稱	Cat./Cl./Div. 類/分類/部	Exempt Quantity 豁免量	Label 標籤
Cotton Waste, other than waste cotton used in the manufacturing of textile	廢棉(威士)，紡織製造的廢紗不計在內	Cat.9A	see Note 8 / 參閱第八項	NIL / 無
Cresol (Cresylic Acid)	甲酚(甲酚酸)	Cat.4, Cl.1	see Phenol (Carbolic Acid) and its homologues / 參閱苯酚(石炭酸)及其同系物	
Crotonaldehyde	巴豆醛	Cat.5, Cl.1, Div.1	20 L	B1
Cumene Hydroperoxide 80% solution, stabilized	氫過氧化枯烯溶液 80%，穩定的	Cat.10	5 kg	B2 , G
Cyanides, Metallic, except Ferri-cyanides and Ferrocyanides	氰化物，金屬的，鐵氰化物及亞鐵氰化物除外	Cat.4, Cl.2	5 kg	D1
Cyanogen	氰	Cat.2, Cl.2	NIL / 無	B3 , D1
Cyclohexanone Peroxide	過氧化環己酮	Cat.10	NIL / 無	F , G
Cyclopropane	環丙烷	Cat.2, Cl.2	1 cylinder / 氣瓶	B3
Diacetone Alcohol	雙丙酮醇	Cat.5, Cl.1, Div.2	20 L	B1
		Cat.5, Cl.2, Div.2	20 L	B2
Decahydronaphthalene (Decalin)	十氫萘	Cat.5, Cl.2, Div.1	20 L	B2
Dibenzoyl Peroxide	過氫化二苯甲醯	Cat.10	see Benzoyl Peroxide / 參閱過氧化苯甲醯	
Dichlorodifluoromethane (Arcton 12, Freon 12)	二氯二氟甲烷(Arcton 12, 氟利昂 12)	Cat.2, Cl.2	2 cylinders / 氣瓶	NIL / 無
Dichlorodifluoromethane / Trichlorofluoromethane Mixtures (Arcton 12/11, Freon 12/11)	二氯二氟甲烷/三氯氟甲烷混合體(Arcton 12/11, 氟利昂 12/11)	Cat.2, Cl.2	2 cylinders / 氣瓶	NIL / 無
Dichlorofluoromethane (Arcton 21, Freon 21)	二氯氟甲烷	Cat.2, Cl.2	2 cylinders / 氣瓶	NIL / 無

Name	名稱	Cat./Cl./Div. 類/分類/部	Exempt Quantity 豁免量	Label 標籤
2,4-Dichlorobenzoyl Peroxide	2,4-過氧化二氯苯醯	Cat.10	NIL / 無	F , G
Dichlorotetrafluoroethane (Arcton 114, Freon 114)	二氯四氟乙烷(Arcton 114, 氟利昂 114)	Cat.2, Cl.2	2 cylinders / 氣瓶	NIL / 無
Dichloromethane (Methylene Chloride)	二氯甲烷	Cat.4, Cl.1	100 L	NIL / 無
Dichloroethylene	二氯乙烯	Cat.5, Cl.1, Div.1	20 L	B1
Diesel Oils	柴油	Cat.5, Cl.3	2 500 L	NIL / 無
Diethyl Sulphate (Ethyl Sulphate)	硫酸二乙酯(硫酸乙酯)	Cat.4, Cl.1	NIL / 無	D
Diethylamine	二乙胺	Cat.5, Cl.1, Div.2	20 L	B1
Diethyl Ether (Ether commonly so called)	乙醚(醚通常稱為乙醚)	Cat.5, Cl.1, Div.1	Not exceeding 2.5 L in the aggregate (including Di-isopropyl Ether & Propylene oxide) 總數不超逾 2.5 升 (包括 二異丙醚及氧化丙烯)	B1
Diethyl p-nitro-phenyl thiophosphate	硝基苯硫代磷酸	Cat.4, Cl.1	see Parathion / 參閱對硫磷	
Diethyl Zinc (Zinc Ethyl)	二乙基鋅(乙基鋅)	Cat.9	NIL / 無	I
Di-isopropyl Ether (Di-isopropyl oxide)	二異丙醚(二異丙基氧化物)	Cat.5, Cl.1, Div.1	Not exceeding 2.5 L in the aggregate (including Diethyl Ether & Propylene oxide) 總數不超逾 2.5 升 (包括 乙醚及氧化丙烯)	B1
Diisobutyl Ketone	二異丁基甲酮	Cat.5, Cl.2, Div.1	20 L	B2
Dilauroyl Peroxide	過氧化二月桂酰	Cat.10	see Lauroyl Peroxide / 參閱過氧化月桂酰	

Name	名稱	Cat./Cl./Div. 類/分類/部	Exempt Quantity 豁免量	Label 標籤
Dimethyl Ether	二甲醚	Cat.2, Cl.2	NIL / 無	B3
Dimethyl Sulphate (Methyl Sulphate)	硫酸二甲酯(硫酸甲酯)	Cat.4, Cl.1	NIL / 無	D
Dimethylamine, Gas	二甲胺，氣體的	Cat.2, Cl.2	NIL / 無	B3
Dimethylamine, Liquid	二甲胺，液體的	Cat.5, Cl.1, Div.2	20 L	B1
Dimethyl-p-Nitrosoaniline (Accelerene)	對亞硝基二甲基苯胺(促進 烯)	Cat.9	5 kg	I
Dinitrobenzenes (Dinitrotoluenes)	二硝基苯	Cat.4, Cl.2	10 kg	NIL / 無
Dinitrochlorobzenzes (Chlorodinitrobenzenes)	二硝基氯苯	Cat.4, Cl.2	NIL / 無	D1
Dinitrotoluenes	二硝基甲苯	Cat.4, Cl.2	10 kg	NIL / 無
Dinitro-Ortho-Cresol	二硝基原甲酚	Cat.10	10 kg	D1
Diphenylmethyl Bromide	二苯甲基溴	Cat.3	NIL / 無	E
Ditertiary Butyl Peroxide	過氧化二叔丁烷	Cat.10	NIL / 無	B1 , G
Enamels	磁漆類	Cat.5	see Cellulose / 參閱纖維素	
Ethane	乙烷	Cat.2, Cl.2	NIL / 無	B3
Ethylbutyl Acetate (Isohexyl Acetate)	乙酸異己酯	Cat.5, Cl.2, Div.1	20 L	B2
Ethyl Acetate	乙酸乙酯	Cat.5, Cl.1, Div.1	20 L	B1
Ethyl Alcohol	乙醇	Cat.5, Cl.1, Div.2	20 L	B1
Ethyl Benzene	乙苯	Cat.5, Cl.2, Div.1	20 L	B2
Ethyl Butyrate	丁酸乙酯	Cat.5, Cl.2, Div.1	20 L	B2
Ethyl Chloride	氯乙烷	Cat.2, Cl.2	1 cylinder/氣瓶 or 10 kg	B3
Ethyl Chloroformate (Ethyl Chlorocarbonate)	氯甲酸乙酯	Cat.5, Cl.1, Div.1	NIL / 無	B1 , D
Ethyl Cellosolve	乙二醇乙醚	Cat.5, Cl.2, Div.2	20 L	B2

Name	名稱	Cat./Cl./Div. 類/分類/部	Exempt Quantity 豁免量	Label 標籤
Ethyl Fluid	乙基液	Cat.4, Cl.1	see Motor Fuel Anti-knock Compounds / 參閱抗震性汽車燃料混合物	
Ethyl Formate	蟻酸乙酯	Cat.5, Cl.1, Div.1	20 L	B1
Ethyl Lactate	乳酸乙酯	Cat.5, Cl.2, Div.2	20 L	B2
Ethyl Nitrite	亞硝酸乙酯	Cat.5, Cl.1, Div.1	20 L	B1
Ethyl Silicate (Tetraethyl Silicate)	矽酸乙酯(矽酸四乙酯)	Cat.5, Cl.2, Div.2	20 L	B2
Ethyl Sulphate	硫酸乙酯	Cat.4, Cl.1	see Diethyl Sulphate / 參閱硫酸二乙酯	
Ethylene	乙烯	Cat.2, Cl.2	1 cylinder / 氣瓶	B3
Ethylene Dichloride (1:2-Dichloroethane)	二氯化乙烯(1:2 二氯乙烷)	Cat.5, Cl.1, Div.1	20 L	B1
Ethylene Glycol Diethyl Ether	乙二醇二乙醚	Cat.5, Cl.2, Div.1	20 L	B2
Ethylene Glycol Monoethyl Ether Acetate	乙酸乙氧基乙酯	Cat.5, Cl.2, Div.1	20 L	B2
Ethylene Glycol Monoethyl Ether (Ethyl Cellosolve)	乙二醇乙醚	Cat.5, Cl.2, Div.2	20 L	B2
Ethylene Glycol Monomethyl Ether (Methyl Cellosolve)	甲氧基乙醇	Cat.5, Cl.2, Div.2	20 L	B2
Ethylene Glycol Monomethyl Ether Acetate	乙酸甲氧基乙酯	Cat.5, Cl.2, Div.2	20 L	B2
Ethylene Oxide, Liquid	環氧乙烷，液體的	Cat.5, Cl.1, Div.2	20 L	B1
Ethylene Oxide, Gas	環氧乙烷，氣體的	Cat.2, Cl.2	1 cylinder/氣瓶 or 10 kg	B3
Ethylene Oxide, in a concentration not greater than 12% by weight) mixed with an inactive carrier gas (such as dichlorodifluoromethane)	環氧乙烷，濃度不超過 12%，與一種惰性載體氣體混合	Cat.2, Cl.2	NIL / 無	NIL / 無

Name	名稱	Cat./Cl./Div. 類/分類/部	Exempt Quantity 豁免量	Label 標籤
	(例如二氯二氟甲烷)			
Ferrosilicon:- (A) Containing less than 30% or more than 70% Silicon (B) Containing between 30% and 70% Silicon	高硅鑄鐵： (甲)內含少過 30%或超過 70%之硅 (乙)內含介乎 30%至 70% 硅	Cat.6 Cat.6	NIL / 無 NIL / 無	H H
Film (Nitrocellulose base)	膠卷(硝化纖維素基)	Cat.8	40 kg	F
Fluoboric Acid (Hydrofluoboric Acid)	氟硼酸(氫氟硼酸)	Cat.3	NIL / 無	D , E
Fluorine	氟	Cat.2, Cl.1	NIL / 無	D1
Formic Acid	蟻酸	Cat.3	25 L	E
Furfuraldehyde	糠醛	Cat.5, Cl.2, Div.1	20 L	B2
Fluoric Acid	氟酸	Cat.3	<i>see Hydrofluoric Acid Solution / 參閱氫氟酸溶液</i>	
Gas Oil, distillates	氣油，蒸餾液	Cat.5, Cl.2, Div.1	20 L	B2
Guanidine Nitrate	硝酸胍	Cat.7	25 kg	G
Helium	氦	Cat.2, Cl.1	1 cylinder / 氣瓶	NIL / 無
Hexamethylene Diisocyanate	己二異氰酸酯	Cat.4, Cl.1	<i>see Iso-cyanates of types TDI and HDI / 參閱異氰酸酯，TDI 及 HDI 類的</i>	
Hexamine (Hexamethylenetetramine)	六胺(六亞甲基四胺)	Cat.8	50 kg	F
Hydrazine Hydrate	水合肼	Cat.4, Cl.1	2.5 kg	D , E
Hydriodic Acid (Hydrogen Iodide Solution)	氫碘酸(碘化氫溶液)	Cat.3	25 L	E
Hydrobromic Acid (Hydrogen Bromide Solution)	氫溴酸(溴化氫溶液)	Cat.3	25 L	E
Hydrochloric Acid	氫氯酸(鹽酸或酒精鹽)	Cat.3	25 L	E

Name	名稱	Cat./Cl./Div. 類/分類/部	Exempt Quantity 豁免量	Label 標籤
(Muriatic Acid or Spirits of Salt)				
Hydrocyanic Acid Solutions (Prussic Acid)	氫氰酸溶液(氫氰酸)	Cat.4, Cl.1	NIL / 無	D
Hydrofluoboric Acid	氫氟硼酸	Cat.3	see Fluoboric Acid / 參閱氫氟硼酸	
Hydrofluoric Acid Solution (Fluoric Acid, Hydrogen Fluoride Solution)	氫氟酸溶液(氟酸、氟化氫溶液)	Cat.3	NIL / 無	D , E
Hydrofluosilicic Acid (Sand Acid)	氟硅酸	Cat.3	10 L	D , E
Hydrogen	氫	Cat.2, Cl.1	1 cylinder / 氣瓶	B3
Hydrogen Chloride (Hydrochloric Acid, Anhydrous)	氯化氫(無水氫氯酸)	Cat.2, Cl.2	NIL / 無	NIL / 無
Hydrogen Cyanide Anhydrous, stabilized	無水的氰化氫，穩定的	Cat.4, Cl.1	NIL / 無	D
Hydrogen Cyanide (Hydrocyanic Acid, Anhydrous)	無水氫氰酸	Cat.2, Cl.2	NIL / 無	D
Hydrogen Fluoride (Hydrofluoric Acid, Anhydrous)	氟化氫(無水氫氟酸)	Cat.2, Cl.2	NIL / 無	D1
Hydrogen Fluoride Solution	氟化氫溶液	Cat.3	see Hydrofluoric Acid Solution / 參閱氫氟酸溶液	
Hydrogen Peroxide :- (A)Solutions of a strength greater than 6% and not exceeding 35% by weight (B)Solutions of a strength greater than 35% and not exceeding 60% by weight	過氧化氫： (甲) 濃度超過 6%但不超過 35%的溶液 (乙) 濃度超過 35%但不超過 60%的溶液	Cat.7 Cat.7	25 L NIL / 無	G G
Hydrogen Sulphide (Sulphuretted Hydrogen)	硫化氫	Cat.2, Cl.2	NIL / 無	B3 , D1

Name	名稱	Cat./Cl./Div. 類/分類/部	Exempt Quantity 豁免量	Label 標籤
Inflammable Printers Inks	易燃之印刷油墨	Cat.5, Cl.2, Div.1	20 L	NIL / 無
Isobutyl Acetate	乙酸異丁酯	Cat.5, Cl.1, Div.1	20 L	B1
Iso-cyanates of types TDI and HDI (2, 4 tolylenediisocyanate, 2, 6 tolylenediisocyanate, and hexamethylene diisocyanate)	異氰酸酯，TDI 及 HDI 類的 (2,4-甲苯二異氰酸酯，2,6- 甲苯二異氰酸酯及己二異氰 酸酯)	Cat.4, Cl.1	30 L	D
Isopropyl Alcohol	異性丙醇	Cat.5, Cl.1, Div.2	20 L	B1
Kapok	木棉	Cat.9A	see Note 8 / 參閱第八項	NIL / 無
Kerosene (Aviation Turbine Fuel, Paraffin)	火水(飛機用之輪機燃料，石 蠟油)	Cat.5, Cl.2, Div.1	20 L	B2
Krypton	氪	Cat.2, Cl.1	1 cylinder / 氣瓶	NIL / 無
Lacquers	纖維漆類	Cat.5	see Cellulose / 參閱纖維素	
Lacquers Thinners	漆稀釋劑	Cat.5, Cl.1, Div.1	20 L	B1
Lauroyl Peroxide (Dilauroyl Peroxide)	過氧化月桂酰(過氧化二月桂 酰)	Cat.10	NIL / 無	F , G
Lead Acetate	醋酸鉛	Cat.4, Cl.2	10 kg	D1
Lead Dioxide	二氧化鉛	Cat.7	see Lead Peroxide / 參閱過氧化鉛	
Lead Nitrate	硝酸鉛	Cat.7	25 kg	G , D1
Lead Perchlorate	高氯酸鉛	Cat.7	10 kg	G , D1
Lead Peroxide (Lead Dioxide)	過氧化鉛(二氧化鉛)	Cat.7	25 kg	G , D1
Lead Tetraethyl	四乙基鉛	Cat.4, Cl.1	NIL / 無	D
Lead Tetramethyl	四甲基鉛	Cat.4, Cl.1	NIL / 無	D
Lithium Aluminium Hydride	氫化鋁鋰	Cat.6	NIL / 無	H

Name	名稱	Cat./Cl./Div. 類/分類/部	Exempt Quantity 豁免量	Label 標籤
Lithium Borohydride	氫硼化鋰	Cat.6	NIL / 無	H
Lithium Hydride	氫化鋰	Cat.6	NIL / 無	H
Magnesium Alloys or Metal containing 50% or more Magnesium, excluding ingots, bars or sticks:-	含有重量 50%或超過 50% 之鎂或鎂合金，鎂錠、鎂塊或鎂條除外：			
(A) Powder	(甲) 粉	Cat.6	5 kg	H
(B) Ribbon, boring, etc.	(乙) 螺條，鏜(孔)或其他	Cat.6	10 kg	H
Magnesium Alloys, pyrophoric	鎂合金，自燃的	Cat.9	NIL / 無	I
Magnesium Perchlorate	高氯酸鎂	Cat.7	10 kg	G
Magnesium Peroxide	過氧化鎂	Cat.7	10 kg	G
Manganese Ethylene-Bisdithiocarbamate (polymeric)(Maneb), preparations at concentrations of 60% or over	亞乙烯基雙二硫代氨基甲酸錳，濃度達 60%或以上的配劑	Cat.6	25 kg	H
Matches	火柴	Cat.9A	see Note 8 / 參閱第八項	NIL / 無
Mercury Salts, except Mercurous Chloride and Mercuric Cyanide	汞鹽，一氧化汞及氰化汞除外	Cat.4, Cl.2	10 kg	D1
Metaldehyde	四聚乙醛	Cat.8	30 kg	F
Methane	甲烷	Cat.2, Cl.1	1 cylinder / 氣瓶	B3
Methyl Acetate	醋酸甲酯	Cat.5, Cl.1, Div.1	20 L	B1
Methyl Alcohol	甲醇	Cat.5, Cl.1, Div.2	20 L	B1
Methyl Amyl Acetate (Sec-Hexyl Acetate)	乙酸甲基戊酯	Cat.5, Cl.2, Div.1	20 L	B2
Methyl Amyl Ketone	甲基戊基(甲)酮	Cat.5, Cl.2, Div.1	20 L	B2
Methyl Bromide	溴甲烷	Cat.2, Cl.2	1 cylinder/氣瓶 or 25 kg	NIL / 無

Name	名稱	Cat./Cl./Div. 類/分類/部	Exempt Quantity 豁免量	Label 標籤
Methyl Cellosolve	甲氧基乙醇	Cat.5, Cl.2, Div.2	20 L	B2
Methyl Chloride	氯甲烷	Cat.2, Cl.2	1 cylinder / 氣瓶	B3
Methyl Chloroformate (Methyl Chlorocarbonate)	氯甲酸甲酯(氯碳酸甲酯)	Cat.5, Cl.1, Div.1	NIL / 無	B1 , D
Methyl Ethyl Ketone	甲基・乙基(甲)酮	Cat.5, Cl.1, Div.1	20 L	B1
Methyl Ethyl Ketone Peroxide	過氧化甲基乙基甲酮	Cat.10	NIL / 無	B2 , G
Methyl Formate	蟻酸甲酯	Cat.5, Cl.1, Div.1	20 L	B1
Methyl Methacrylate Monomer	甲基丙烯酸甲酯	Cat.5, Cl.1, Div.1	20 L	B1
Methyl Sulphate	硫酸甲酯	Cat.4, Cl.1	<i>see Dimethyl Sulphate / 參閱硫酸二甲酯</i>	
Methylene Chloride	二氯甲烷	Cat.4, Cl.1	<i>see Dichloromethane / 參閱二氯甲烷</i>	
Methylene Diphenyl Diisocyanate	甲二苯二異氰酸酯	Cat.4, Cl.1	30 L	D
Mirbane Oil	密斑油	Cat.4, Cl.1	<i>see Nitrobenzene / 參閱硝基苯</i>	
Mischmetal, Slabs or ingots, powder	鎘鑭釹鑷混合金屬，片或塊，粉	Cat.8	NIL / 無	F
Mixed Acid, when consisting of a mixture of Sulphuric and Nitric Acid	混合酸，含有混合之硫酸與硝酸	Cat.3	10 L	E
Monochloroacetic Acid	單氯醋酸	Cat.3	<i>see Chloroacetic Acid / 參閱氯醋酸</i>	
Monochlorodifluoromethane (Arcton 22, Freon 22)	一氯二氟甲烷(Arcton 22, 氟利昂 22)	Cat.2, Cl.2	2 cylinders / 氣瓶	NIL / 無
Monomethylamine	甲胺	Cat.2, Cl.2	NIL / 無	B3
Motor Fuel Anti-knock Compounds (Ethyl Fluid)	抗震性汽車燃料混合物(乙基液)	Cat.4, Cl.1	NIL / 無	D

Name	名稱	Cat./Cl./Div. 類/分類/部	Exempt Quantity 豁免量	Label 標籤
Muriatic Acid	鹽酸	Cat.3	see Hydrochloric Acid / 參閱氫氯酸	
Naphtha Distillate	石腦油蒸餾物	Cat.5, Cl.2, Div.1	20 L	B2
Naphtha (Petroleum or Coal-tar Naphtha)	石腦油(石油或石炭油)	Cat.5, Cl.1, Div.1	20 L	B1
		Cat.5, Cl.2, Div.1	20 L	B2
Naphthalene, crude or refined	萘，經提煉或未經提煉	Cat.8	50 kg	F
1, 5-Naphthalene Diisocyanate	1,5-萘二異氰酸酯	Cat.4, Cl.1	30 L	D
Neon	氖	Cat.2, Cl.1	1 cylinder / 氣瓶	NIL / 無
Nickel Carbonyl	羰基鎳	Cat.5, Cl.1, Div.1	NIL / 無	B1 , D
Nicotine, and Salts of Nicotine, Preparations containing Nicotine or any Salt of Nicotine	菸草香素、菸草香素鹽、含 菸草香素或任何菸草香素鹽 類的製劑	Cat.4, Cl.2	100 L	D1
Nitric Acid	硝酸	Cat.3	10 L	E , G
Nitrobenzene (Nitrobenzol, Mirbane Oil)	硝基苯(密斑油)	Cat.4, Cl.1	50 L	D
Nitrocellulose (Collodion Cotton) wetted with an inflammable liquid	潤濕易燃液體之硝化纖維(膠 棉)	Cat.5, Cl.1, Div.1	20 L	B1
		Cat.5, Cl.2, Div.1	20 L	B2
Nitrocellulose, containing less than 12.3% of nitrogen, and wet with not less than 1/3 of its weight of water	硝化纖維，含有少過 12.3% 氮及不少過其水重量之三分 一	Cat.10	2 kg	NIL / 無
Nitrochlorobenzenes (Ortho-, Meta-, and Para-)	硝基氯苯(鄰一，間一及對 一)	Cat.4, Cl.1	10 L	D
Nitrogen	氮	Cat.2, Cl.1	1 cylinder / 氣瓶	NIL / 無
Nitrogen, Liquid	氮，液態的	Cat.2, Cl.2	2 cylinders / 氣瓶	NIL / 無
Nitrogen Tetroxide (Nitrogen Peroxide)	四氧化二氮(過氧化氮)	Cat.2, Cl.2	NIL / 無	D1

Name	名稱	Cat./Cl./Div. 類/分類/部	Exempt Quantity 豁免量	Label 標籤
Nitroglycerin Solutions in Ethyl Alcohol, containing not more than 5% nitroglycerin by weight	乙醇中之硝化甘油溶液，內含不超過 5%重之硝化甘油	Cat.5, Cl.1, Div.2	NIL / 無	B1
Nitrosyl Chloride	亞硝基氯	Cat.2, Cl.2	NIL / 無	D1
Nitrotoluenes (Ortho-, Meta-, and Para-), Solid	硝基甲苯(鄰一，間一及對一)，固體的	Cat.4, Cl.2	50 kg	D1
Nitrotoluenes (Ortho-, Meta-, and Para-), Liquid	硝基甲苯(鄰一，間一及對一)，液體的	Cat.4, Cl.2	50 L	D1
Nitrous Oxide	氧化亞氮	Cat.2, Cl.2	2 cylinders / 氣瓶	NIL / 無
Nitrolim	石灰氮	Cat.6	see Calcium Cyanamide / 參閱氰氯化鈣	
Orthodichlorobenzene	磷二氯苯	Cat.4, Cl.1	10 L	NIL / 無
Oxygen	氧	Cat.2, Cl.1	2 cylinders / 氣瓶	NIL / 無
Oxygen, Liquid	液態氧	Cat.2, Cl.2	10 L	NIL / 無
Paint	漆油類	Cat.5	see Cellulose / 參閱纖維素	
Paint Thinner	塗料稀釋劑	Cat.5, Cl.1, Div.1	20 L	B1
		Cat.5, Cl.2, Div.1	20 L	B2
Paradichlorobenzene	對二氯苯	Cat.4, Cl.1	25 kg	NIL / 無
Paraldehyde	三聚乙醛	Cat.5, Cl.2, Div.1	20 L	B2
Paranitroaniline	對硝基苯胺	Cat.4, Cl.2	5 kg	D1
Parathion (Diethyl p-nitro-phenyl thiophosphate)	對硫磷(硝基苯硫代磷酸)	Cat.4, Cl.1	NIL / 無	D
Pentachloroethane	五氯乙烷	Cat.4, Cl.1	100 L	NIL / 無
Pentachlorophenol	五氯苯酚	Cat.4, Cl.2	5 kg	D1
Pentane	戊烷	Cat.5, Cl.1, Div.1	20 L	B1

Name	名稱	Cat./Cl./Div. 類/分類/部	Exempt Quantity 豁免量	Label 標籤
Perchloric Acid, not exceeding 72% w/w in solution	高氯酸，溶液的重量比不超逾 72%	Cat.3	NIL / 無	E , G
Perchloroethylene	全氯乙烯	Cat.4, Cl.1	see Tetrachloroethylene / 參閱四氯乙烯	
Petrol(Aviation Gasoline, Motor Spirit, Lighter Fuel)	電油(飛機油，汽油，打火機油)	Cat.5, Cl.1, Div.1	20 L	B1
Petroleum (Crude)	汽油(石油精)	Cat.5, Cl.1, Div.1	20 L	B1
Petroleum Spirit (Lythene, Petroleum Ether, Ligroin)	汽油(鋰酚，石油醚，石油英)	Cat.5, Cl.1, Div.1	20 L	B1
Phenol (Carbolic Acid) and its homologues, e.g. cresols (Cresylic Acid) and other tar acids and liquid preparations thereof	苯酚(石炭酸)及其同系物，例如甲酚(甲酚酸)及其他焦油酸及其甲酚液體配劑	Cat.4, Cl.1	250 kg (solid) (固體); or 250 L (solution) (溶液)	D , E
Phenylene Diamines and Toluylene Diamines	苯二胺與甲代苯二胺	Cat.4, Cl.2	5 kg	D1
Phosgene	光氣	Cat.2, Cl.2	NIL / 無	D1
Phosphoric Acid (Orthophosphoric Acid)	磷酸(正磷酸)	Cat.3	25 L	NIL / 無
Phosphorus, white or yellow	白磷或黃磷	Cat.9	NIL / 無	D1 , I
Phosphorus Amorphous (Red Phosphorus)	無定形磷(紅磷)	Cat.8	NIL / 無	F
Phosphorus Oxychloride (Phosphoryl Chloride)	三氯氧化磷(氯氧化磷)	Cat.3	NIL / 無	E , H
Phosphorus Pentachloride	五氯化磷	Cat.3	NIL / 無	E , H
Phosphorus Pentasulphide, free from white or yellow phosphorus	五硫化二磷，不含白或黃磷	Cat.8	NIL / 無	F , H

Name	名稱	Cat./Cl./Div. 類/分類/部	Exempt Quantity 豁免量	Label 標籤
Phosphorus Sesquisulphide, free from white or yellow phosphorus	三硫化四磷，不含白或黃磷	Cat.8	NIL / 無	F
Phosphorus Tribromide (Phosphorus Bromide)	三溴化磷(溴化磷)	Cat.3	NIL / 無	E , H
Phosphorus Trichloride (Phosphorus Chloride)	三氯化磷(氯化磷)	Cat.3	NIL / 無	E , H
Plasticized Nitrocellulose Flakes	硝化纖維塑膠薄片	Cat.8	10 kg	F
Polishes	擦亮劑	Cat.5, Cl.2	250 kg (solid) (固體); or 250 L (solution) (溶液)	B2
Polytetrafluoroethylene (PTFE)	聚四氟乙烯	Cat.9A	see Note 8 / 參閱第八項	NIL / 無
Polymethylmethacrylate, raw material	聚甲基丙烯酸甲酯，原料	Cat.9A	see Note 8 / 參閱第八項	NIL / 無
Polystyrene, raw material	聚苯乙烯，原料	Cat.9A	see Note 8 / 參閱第八項	NIL / 無
Polythene, raw material	聚乙烯，原料	Cat.9A	see Note 8 / 參閱第八項	NIL / 無
Polypropylene, raw material	聚丙烯，原料	Cat.9A	see Note 8 / 參閱第八項	NIL / 無
Polyvinyl Chloride, raw material	聚氯乙烯，原料	Cat.9A	see Note 8 / 參閱第八項	NIL / 無
Potable Spirit	可飲用酒精	Cat.5, Cl.2, Div.2	see Note 7 / 參閱第七項	NIL / 無
Potassium Borohydride	氫硼化鉀	Cat.6	NIL / 無	H
Potassium Bromate	溴酸鉀	Cat.7	5 kg	F
Potassium Chlorate (Chlorate of Potash)	氯酸鉀	Cat.7	5 kg	F
Potassium Hydroxide (Caustic Potash), Solid	氫氧化鉀(苛性鉀)，固體的	Cat.3	50 kg	E
Potassium Hydroxide Solution (Caustic Potash Solution)	氫氧化鉀溶液(苛性鉀溶液)	Cat.3	50 L	E
Potassium Hypochlorite Solutions	次氯酸鉀溶液	Cat.4, Cl.1	250 L	D
Potassium Metal	鉀	Cat.6	NIL / 無	H

Name	名稱	Cat./Cl./Div. 類/分類/部	Exempt Quantity 豁免量	Label 標籤
Potassium Nitrate (Saltpetre)	硝酸鉀(硝石)	Cat.7	50 kg	G
Potassium Perchlorate	高氯酸鉀	Cat.7	10 kg	G
Potassium Permanganate	高錳酸鉀	Cat.7	10 kg	G
Potassium Peroxide	過氧化鉀	Cat.7	10 kg	G
Potassium Sulphide, Anhydrous	無水硫化鉀	Cat.9	25 kg	I
Potassium Sulphide, hydrated	硫化鉀，水合的	Cat.10	25 kg	H
Propionic Acid	丙酸	Cat.3	50 L	NIL / 無
Propyl Alcohol (Propanol)	丙醇	Cat.5, Cl.1, Div.2	20 L	B1
Propylene	丙烯	Cat.2, Cl.2	1 cylinder / 氣瓶	B3
Propylene Oxide (Propene Oxide, 1-2 epoxy propene)	氧化丙烯	Cat.5, Cl.1, Div.1	Not exceeding 2.5 L in the aggregate (including Diethyl Ether & Di- isopropyl Ether) 總數不超逾 2.5 升(包括 乙醚及二異丙醚)	B1
Prussic Acid	氫氰酸	Cat.4, Cl.1	see Hydrocyanic Acid Solutions / 參閱氫氰酸溶液	
Pyridine	雜氮苯	Cat.5, Cl.1, Div.2	20 L	B1
Pyroxylon Solvents and Solutions	硝化纖維溶劑及溶液	Cat.5, Cl.1, Div.1	20 L	B1
Red Phosphorus	紅磷	Cat.8	see Phosphorus Amorphous / 參閱無定形磷	
Rubber Solutions	橡膠溶液	Cat.5, Cl.1, Div.1	20 L	B1
Rubber, raw	生橡膠，原料	Cat.9A	see Note 8 / 參閱第八項	NIL / 無
Rubber Tyres, motor	橡膠輪胎，汽車	Cat.9A	see Note 8 / 參閱第八項	NIL / 無
Rosin Oil	松香油	Cat.5, Cl.2, Div.1	20 L	B2

Name	名稱	Cat./Cl./Div. 類/分類/部	Exempt Quantity 豁免量	Label 標籤
Saltpetre	硝石	Cat.7	see Potassium Nitrate / 參閱硝酸鉀	
Sand Acid	氟硅酸	Cat.3	see Hydrofluosilicic Acid / 參與氟硅酸	
Silicon Tetrachloride (Silicon Chloride)	四氯化矽(氯化矽)	Cat.3	NIL / 無	E , H
Sludge or Spent Acid, not containing Nitric Acid or Nitrous Acid	淤渣硫酸，不含硝酸或亞硝酸	Cat.3	50 L	E
Sodium Azide	疊氮化鈉	Cat.10	10 kg	D1
Sodium Bisulphite Solution, over 10%	亞硫酸氫鈉溶液，超過 10%	Cat.3	250 L	E
Sodium Borohydride	氫硼化鈉	Cat.6	NIL / 無	H
Sodium Bromate	溴酸鈉	Cat.7	5 kg	F
Sodium Chlorate	氯酸鈉	Cat.7	5 kg	F
Sodium Chlorite	亞氯酸鈉	Cat.7	5 kg	F
Sodium Dinitro-Ortho-Cresolate	二硝基原甲酚鹽鈉	Cat.10	10 kg	D1
Sodium Dithionite	次硫酸鈉	Cat.9	see Sodium Hydrosulphite / 參閱次硫酸鈉	
Sodium Hydroxide (Caustic Soda), Solid	氫氧化鈉(苛性鈉)，固體的	Cat.3	50 kg	E
Sodium Hydroxide Solution (Caustic Soda Solution)	氫氧化鈉溶液(苛性鈉)	Cat.3	50 L	E
Sodium Hypochlorite Solutions	次氯酸鈉溶液	Cat.4, Cl.1	250 L	D
Sodium Hydrosulphite (Sodium Dithionite)	次硫酸鈉	Cat.9	50 kg	I
Sodium Metal	鈉	Cat.6	NIL / 無	H
Sodium Nitrate (Chile Saltpetre)	硝酸鈉(智利硝石)	Cat.7	5 kg	G

Name	名稱	Cat./Cl./Div. 類/分類/部	Exempt Quantity 豁免量	Label 標籤
Sodium Perchlorate	高氯酸鈉	Cat.7	10 kg	G
Sodium Permanganate	高錳酸鈉	Cat.7	10 kg	G
Sodium Peroxide	過氧化鈉	Cat.7	10 kg	G
Sodium Phosphide	磷化鈉	Cat.6	NIL / 無	H
Sodium Sulphide, containing less than 30% water of crystallization	硫化鈉，含有少於 30% 之結晶水	Cat.9	25 kg	I
Sodium Sulphide, containing not less than 30% water of crystallization	硫化鈉，含有不少於 30% 之結晶水	Cat.10	25 kg	H
Spirits of Salt	鹽酸	Cat.3	see Hydrochloric Acid / 參閱氫氯酸	
Stannic Chloride, Anhydrous (Tin Tetrachloride)	無水氯化錫(四氯化錫)	Cat.3	NIL / 無	E , H
Strontium Alloys, non-pyrophoric	鋯合金，非自燃的	Cat.6	NIL / 無	H
Strontium Alloys, pyrophoric	鋯合金，自燃的	Cat.9	NIL / 無	I
Strontium Chlorate	氯酸鋯	Cat.7	5 kg	F
Strontium Peroxide	過氧化鋯	Cat.7	10 kg	G
Strontium Nitrate	硝酸鋯	Cat.7	25 kg	G
Sulphur Dioxide	二氧化硫	Cat.2, Cl.2	1 cylinder/氣瓶 or 25 kg	NIL / 無
Sulphur Chlorides (Sulphur Dichloride, Sulphur Monochloride)	氯化硫(二氯化硫、氯化硫)	Cat.3	NIL / 無	D , E
Sulphur Trioxide (stabilized liquid)	三氯化硫，穩定液	Cat.3	NIL / 無	E , H
Sulphuretted Hydrogen	硫化氫	Cat.2, Cl.2	NIL / 無	B3 , D1
Sulphuric Acid, of strength not less than 10% w/w and not more than 50% w/w	硫酸，濃度為重量比不少於 10% 和不超過 50%	Cat.3	10 L	E
Sulphuric Acid, exceeding 50% w/w including concentrated sulphuric acid	硫酸，重量比超逾 50%，包括濃硫酸(礬油)，但不包括	Cat.3	10 L	E


Name	名稱	Cat./Cl./Div. 類/分類/部	Exempt Quantity 豁免量	Label 標籤
(Oil of Vitriol), but excluding Oleum or "Nordhausen" Acid	發煙硫酸或“Nordhausen” Acid			
Sulphuric Acid, fuming (Oleum or "Nordhausen" Acid)	硫酸，發煙的 (發煙硫酸或“Nordhausen” Acid)	Cat.3	NIL / 無	E , H
Sulphuryl Chloride	氯化硫醯	Cat.3	NIL / 無	D , E
Tertiary Butyl Hydroperoxide 75% Solution	氫過氧化叔丁基 75% 溶液	Cat.10	NIL / 無	B1 , G
Tertiary Butyl Perbenzoate	過苯叔丁基	Cat.10	NIL / 無	B1 , G
Tetrachloroethane (Acetylene Tetrachloride)	四氯乙烷	Cat.4, Cl.1	100 L	NIL / 無
Tetrachloroethylene (Perchloroethylene)	四氯乙烯(全氯乙烯)	Cat.4, Cl.1	100 L	NIL / 無
Tetraethyl Silicate	硅酸四乙酯	Cat.5, Cl.2, Div.2	see Ethyl Silicate / 參閱硅酸乙酯	
Thermites, commercial, consisting of finely divided aluminium and iron oxide only	鋁熱劑，商用，祇含有鋁與氧化鐵之微粒	Cat.6	NIL / 無	H
Thioglycollic Acid	巯基醋酸	Cat.3	25 L	E , F
Thionyl Chloride	亞硫醯氯	Cat.3	NIL / 無	D , E
Tin Tetrachloride	四氯化錫	Cat.3	see Stannic Chloride, Anhydrous / 參閱無水氯化錫	
Titanium Hydride Powder	氫化鈦粉	Cat.9	NIL / 無	I
Titanium Tetrachloride	四氯化鈦	Cat.3	NIL / 無	E , H
Toluene (Toluol)	甲苯(甲基苯)	Cat.5, Cl.1, Div.1	20 L	B1
2, 4 Tolylenediisocyanate	2,4-甲苯二異氰酸酯	Cat.4, Cl.1	see Iso-cyanates of types TD1 and HD1 /	
2, 6 Tolylenediisocyanate	2,6-甲苯二異氰酸酯	Cat.4, Cl.1		

Name	名稱	Cat./Cl./Div. 類/分類/部	Exempt Quantity 豁免量	Label 標籤
			參閱異氰酸酯，TDI 及 HDI 類的	
Trichloroethane (1,1,1- and 1,1,2-)	三氯乙烷 (1,1,1-及 1,1,2-)	Cat.4, Cl.1	100 L	NIL / 無
Trichloroethylene	三氯乙烯	Cat.4, Cl.1	100 L	NIL / 無
Trichloromonofluoromethane (Arcton 11, Freon 11)	三氯一氟甲烷 (Arcton 11, 氟利昂 11)	Cat.2, Cl.2	2 cylinders / 氣瓶	NIL / 無
Trichloronitromethane	三氯硝甲烷	Cat.4, Cl.1	see Chloropicrin / 參閱氯化苦劑	
Trimethylamine	三甲胺	Cat.2, Cl.2	NIL / 無	B3
Turpentine and Turpentine Substitutes	松節油及其代品	Cat.5, Cl.2, Div.1	20 L	B2
Varnish	假漆類	Cat.5	see Cellulose / 參閱纖維素	
Vinyl Ether	二乙烯酇	Cat.5, Cl.1, Div.1	20 L	B1
White Arsenic	白砷	Cat.4, Cl.2	see Arsenic Trioxide / 參閱三氧化砷	
Xylene(Xylo)	二甲苯(混合二甲苯)	Cat.5, Cl.1, Div.1	20 L	B1
Xylo	混合二甲苯	Cat.5, Cl.1, Div.1	see Xylene / 參閱二甲苯	
Zinc Chlorate	氯酸鋅	Cat.7	5 kg	F
Zinc Ethyl	二乙基鋅	Cat.9	see Diethyl Zinc / 參閱二乙基鋅	
Zinc Permanganate	高錳酸鋅	Cat.7	10 kg	G
Zinc Peroxide	過氧化鋅	Cat.7	10 kg	G
Zinc Phosphide	磷化鋅	Cat.6	NIL / 無	H
Zinc Powder or Dust	鋅粉或塵	Cat.6	10 kg	H
Zirconium Hydride Powder	氫化鋯粉	Cat.9	NIL / 無	I
Zirconium Metal Powder	鋯粉	Cat.9	NIL / 無	I

Labels 標籤

The size of the labels is to be not less than 100 x 100mm
標籤大小不得小於 100 毫米 x 100 毫米

Label B1 標籤 B1



White lettering on
Vermilion Red
白色字朱紅色底

Note : Label B1 is used
for substance
with flash point
below 23°C.
Enter "below
23°C" or the
actual flash point
in the space
provided on the
label.

註: 標籤 B1 是用以
貼在引火點在
攝氏 23 度以下的物體上。請
在標籤上的空
位填上「攝氏
23 度以下」或
實際引火點。

Label B2 標籤 B2



White lettering on
Vermilion Red
白色字朱紅色底

Label B3 標籤 B3




White lettering on
Vermilion Red
白色字朱紅色底

Label B4 標籤 B4



White lettering on
Vermilion Red
白色字朱紅色底

Label C1 標籤 C1



White lettering on
Vermilion Red
白色字朱紅色底

Label D 標籤 D



Vermilion Red
lettering on White
朱紅色字白色底

Label D1 標籤 D1



Vermilion Red
lettering on White
朱紅色字白色底

Label E 標籤 E



Vermilion Red
lettering on White
朱紅色字白色底

Label F 標籤 F



Black lettering
on Vermilion Red
and White stripes
黑色字，朱紅色
及白色相間底

Label G 標籤 G



Black lettering on
Yellow
黑色字黃色底

Label H 標籤 H



Vermilion Red
lettering on Top &
bottom corners
Ultramarine Blue
朱紅色字白色底
頂角及底角為深
藍色

Label I 標籤 I



Vermilion Red
lettering on White
with 2 Black
Stripes
朱紅色字白色底
及兩條黑條紋